

HANGZHOU BAIQUAN ELECTROMECHANICAL CO.,LTD.

榮
耀
第
一
範
本
索
印



WhatsApp:+86-13758194294

Email: biz@cnspeedway.com

Website: <https://agicparts.com/>

Add: Room 207, Building 3, No.100 Chunchao Road, Economic And Technological Zone, Hangzhou, Zhejiang, China

Our Participation Across The Globe



Countries: Canada, USA, Australia, Germany, Italy, India, Bangladesh, Thailand, Cambodia, Brazil, Spain, Bhutan, Saudi Arabia, Ukraine, Russia, Mexico, Japan, Denmark, Yemen, Peru, Poland, Portugal, France, Cambodia, Myanmar, Philippines, Vietnam, Egypt, Morocco, Tunisia, Algeria, Libya, Sudan, Kuwait, Tanzania, Kenya, Uganda, Ethiopia, Nepal, Georgia, Tajikistan, Sri Lanka, Chad, Mozambique, Mali, Democratic Republic of Congo, Zambia, Malawi, Madagascar, South Africa, Zimbabwe, Ghana, Burkina Faso, Senegal, Namibia, Angola, Sierra Leone, Rwanda, Cameroon. etc.



企业宗旨 Enterprise Purpose

为用户创造价值，为企业创造利益，为员工创造前途，为社会创造繁荣
Create value for customers, for enterprises to create interest, for staff to create the future, create prosperity for the society.

经营理念 Enterprise Spirits

依据市场搞创新，走精品特色之路
On the basis of market and engage in innovation, take the road of quality characteristics


战略目标 Enterprise Target

力争建成中国驰名，世界著名刀具企业
Strive to build China's well-known, world-renowned tool enterprise.

企业价值观 Enterprise Value

诚信、严谨、共赢、感恩
Integrity, rigorous, and win-win, Thanksgiving

刀 类	以拖拉机为主驱动源，在田间作旋耕作业的刀具，该产品是我厂出口量最大的产品，现出口到美国、法国、德国、意大利、英国、泰国、韩国等36个国家和地区。
耙片类	以拖拉机为动力源组装于耕整机上，在田间翻田作业的刀具，配套出口美国、泰国、波兰、缅甸等16个国家和地区。
弹簧类	以拖拉机拖动，在田间起垄、开沟等田间作业，是犁尖、犁铲连接件，大批量出口美国、意大利、埃及等6个国家和地区。
犁 尖	适用于田间起垄、开沟作业的刀具，出口意大利、利比亚、德国、沙特等国家和地区。
犁 铲	适用于田间起垄、开沟作业的刀具，出口波兰、意大利、利比亚、德国、沙特等15个国家和地区。



Knife	Mainly to tractor driving source, rotavator in field, the largest export products, is now exported to the United States, France, Germany, Italy, Britain, Thailand, Korea and other 36 countries and regions.
Harrow piece	The tractor as power source is assembled on the tillage machine, in the field over the field operation tool, supporting exports to the United States, Thailand, Poland, Myanmar and other 16 countries and regions.
Spring type	Drag to tractor in the field, ditching, ridging and other field operations, is connecting the plow tip and shovel, exported to the United States, Italy, Egypt and other 6 countries and regions.
Plow tip	Applicable to the field ridge and ditching , exported to Italy, Libya, Germany, Saudi Arabia countries and regions.
Plow shovel	Applicable to the field ridge and ditching , exported to Poland, Italy, Libya, Germany, Saudi Arabia and other 15 countries and regions.



开垦刀 (P01-P08)
Rotary tiller blades



立式刀 (P09-P11)
Vertical blade




锄头 (P12-P17)
Hammer blades



割草刀 (P18-P23)
Grass cutting blade




旋耕刀 (P24-P26)
Power tiller blades




碎木刀 (P103)
Wood pulverizer's blade



中耕机犁铲犁尖 (P40-P56)
Cultivator share and point



宝马刀 (P104)
Soil stabilizer knife




耙片 (P27-P30)
Disc Blades



S型弹柄 (P57-P84)
Cultivator tines



弯曲式深松铲 (P31-P34)
Subsoiler blades




犁体部件 (P85-P99)
Spare parts for ploughs

灭茬联合整地铲 (P35-P39)
Combine share for Stubble cleaner



刮平刀 (P104)
Scraping cutter



甘蔗切割刀片 (P100-P102)
Sugarcane cutting blade

开垦刀 Rotary tiller blades



WhatsApp: +86-13758194294

Email: biz@cnspeedway.com

产品特点:

- 以拖拉机为动力源，适用于开垦、打草、起垄等田间作业刀具。
 - 使用材料：60Si2Mn, 60Si2MnA, 28MnSiB, 30MnCrB5, 38MnCrB5
 - 制造硬度HRC45±3, 综合机械性能较好，特殊地区HRC50±3
 - 具备制造全系列多规格品种。
- The tractor as the main power source, suitable for cultivation, grass, ridging and field work tool.
 - Materials: 60Si2Mn, 60Si2MnA, 28MnSiB, 30MnCrB5, 38MnCrB5
 - The comprehensive mechanical properties better, heat treatment hardness is 45 ± 3. Special area 50 ± 3.
 - Has the manufacture of a full range of multi-specification varieties.



We are the manufacture factory for producing,not original designer.

WhatsApp: +86-13758194294
Email: biz@cnspeedway.com

品牌 Description	编号 Ref.Nr.	原厂号 Original code	左 / 右 Type	"H" mm	"L" mm	"S" mm	孔径 Hole $\varnothing$ mm	中心距 Distance hole mm	规格 Plate mm	重量 Weight gr	Drawing
AGRIC	FJ1A001	AGRI02	DX/RH	140	180	40	13	57	80 x 7	1130	
	FJ1A002	AGRI02X	SX/LH	140	180	40	13	57	80 x 7	1130	
BREVIGLIERI	FJ1B001	0040105D	DX/RH	140	183	-	12.5	57	80 x 7	1000	
	FJ1B002	0040103D	DX/RH	135	180	15	12.5	57	80 x 7	1020	
	FJ1B003	0064811D	DX/RH	136	195	12	14.5	57	80 x 8	1200	
	FJ1B004	9506	DX/RH	120	170	10	12.5	40	70 x 6	680	
	FJ1B005	2692	DX/RH	67	199	-	10.5	80	45 x 5	360	
CELLI	FJ1C001	331528	DX/RH	136	196	12	14.5	50	70 x 7	870	
	FJ1C002	322518	DX/RH	136	195	12	14.5	57	80 x 6	820	
	FJ1C003	322516	DX/RH	136	180	12	14.5	57	80 x 6	840	
	FJ1C004	331526	DX/RH	136	180	20	14.5	50	70 x 7	900	
	FJ1C005	422512	DX/RH	136	180	16	14.5	50	80 x 7	1000	
	FJ1C006	422514	DX/RH	136	195	12	14.5	57	80 x 7	980	
	FJ1C007	722537	DX/RH	136	195	12	14.5	57	80 x 8	1200	
	FJ1C008	722533	DX/RH	136	180	12	14.5	57	80 x 8	1230	

We are the manufacture factory for producing,not original designer.









WhatsApp: +86-13758194294
Email: biz@cnspeedway.com

品牌 Description	编号 Ref.Nr.	原厂号 Original code	左 / 右 Type	"H" mm	"L" mm	"S" mm	孔径 Hole $\varnothing$ mm	中心距 Distance hole mm	规格 Plate mm	重量 Weight gr	Drawing
CELLI	FJ1C009	13546	DX/RH	86	147	-	10.5	39	50 x 5	330	
	FJ1C010	15231	SX/LH	100	213	25	10.5	46	50 x 6	580	
	FJ1C011	434	DX/RH	110	240	-	10.5	99	60 x 6	700	
	FJ1C012	3935	DX/RH	110	250	-	10.5	99	60 x 6	700	
	FJ1C013	4312	DX/RH	102	170	15	10.5	42	60 x 6	490	
	FJ1C014	9417	DX/RH	103	187	10	10.5	42-46	60 x 6	580	
	FJ1C015	20136	DX/RH	108	210	22	10.5	54	60 x 6	620	
	FJ1C016	9506	DX/RH	113	205	22	12.5	54	70 x 6	720	
DEL MORINO	FJD001	14191	DX/RH	71	176	-	10.5	70	40 x 6	340	
	FJD002	8834	DX/RH	70	195	-	12.5	80	45 x 5	330	
	FJD003	9402	DX/RH	80	190	-	10.5	33	45 x 5	400	
	FJD004	14486	DX/RH	100	190	20	12.5	42	45 x 5	400	
	FJD005	8832	DX/RH	57	120	-	12.5	33	45 x 5	210	
	FJD006	11098	DX/RH	112	175	20	12.5	40	70 x 6	750	
	FJD007	HOL 154D	DX/RH	110	160	16	12.5	34	60 x 6	580	

We are the manufacture factory for producing,not original designer.

WhatsApp: +86-13758194294









Email: biz@cnspeedway.com

品牌 Description	编号 Ref.Nr.	原厂号 Original code	左 / 右 Type	"H" mm	"L" mm	"S" mm	孔径 Hole ϕ mm	中心距 Distance hole mm	规格 Plate mm	重量 Weight gr	Drawing
HOWARD ROTAVATOR	FJH001	9941	DX/RH	105	273	20	11.5	114	40×8	780	
	FJH002	647255	SX/LH	-	235	-	16.5	50	50×12	1030	
	FJH003	9954	DX/RH	140	175	-	11.5	57	75×6	840	
	FJH004	9900	DX/RH	140	170	-	11.5	57	75×6	840	
	FJH005	9949	DX/RH	140	183	-	12.5	57	80×7	1000	
	FJH006	9948	DX/RH	140	210	-	13	57	90×6	1080	
	FJH007	3901	DX/RH	140	170	-	13	57	90×6	1080	
	FJH008	756785	DX/RH	150	200	-	16.5	75	105×8	1700	
	FJH009	9862	DX/RH	138	180	20	16.5	51	80×10	1500	
KVERNELAND MALETTI	FJK001	1302177	DX/RH	107	175	20	14.5	40	60×7	700	
	FJK002	1302179	DX/RH	107	175	20	14.5	40	60×7	790	
	FJK003	1300077	DX/RH	105	185	20	14.5	45	60×7	710	
	FJK004	1300078	DX/RH	105	175	20	14.5	45	60×7	760	
	FJK005	100077	DX/RH	110	200	22	14.5	45	70×8	970	
	FJK006	100079	DX/RH	110	200	22	14.5	45	70×8	1030	

We are the manufacture factory for producing,not original designer.

WhatsApp: +86-13758194294

Email: biz@cnspeedway.com

品牌 Description	编号 Ref.Nr.	原厂号 Original code	左 / 右 Type	"H" mm	"L" mm	"S" mm	孔径 Hole ϕ mm	中心距 Distance hole mm	规格 Plate mm	重量 Weight gr	Drawing
KVERNELAND MALETTI	FJK007	700077	DX/RH	133	223	34	14.5	44-44	75×10	1280	
	FJK008	500077	SX/LH	110	205	22	14.5	46	80×8	1170	
	FJK009	500079	DX/RH	115	207	22	14.5	46	80×8	1290	
MASCHIO	FJ1M001	19100417	DX/RH	115	194	12	12.5	44	60×6	610	
	FJ1M002	19100415	DX/RH	115	190	12	12.5	44	60×6	660	
	FJ1M003	19100423	DX/RH	110	193	16	12.5	44	70×6	740	
	FJ1M004	19100421	DX/RH	110	187	8	12.5	44	70×6	760	
	FJ1M005	2108430	DX/RH	135	175	14	14.5	56	80×7	950	
	FJ1M006	00566103	DX/RH	135	175	14	14.5	56	80×6	850	
	FJ1M007	29100405	DX/RH	135	196	15	14.5	48	80×7	980	
	FJ1M008	29100407	DX/RH	135	192	17	14.5	48	80×7	1000	
	FJ1M009	02108432	DX/RH	135	186	14	14.5	56	80×7	950	
	FJ1M010	02108430	DX/RH	135	186	14	14.5	56	80×6	850	
	FJ1M011	01110426	DX/RH	142	225	29	14.5	56	80×8	1300	
	FJ1M012	01110428	DX/RH	142	215	25	14.5	56	80×8	1350	

We are the manufacture factory for producing,not original designer.

WhatsApp: +86-13758194294
Email: biz@cnspeedway.com

WhatsApp: +86-13758194294
Email: biz@cnspeedway.com

品牌 Description	编号 Ref.Nr.	原厂号 Original code	左 / 右 Type	"H" mm	"L" mm	"S" mm	孔径 Hole $\varnothing$ mm	中心距 Distance hole mm	规格 Plate mm	重量 Weight gr	Drawing
MASCHIO	FJ1M013	20100412	DX/RH	142	257	30	16.5	68	90×10	1920	
	FJ1M014	20100414	DX/RH	142	244	30	16.5	68	90×10	2200	
	FJ1M015	20100404	DX/RH	145	236	20	16.5	56	90×8	1650	
	FJ1M016	09400414	DX/RH	145	214	20	16	56	90×10	1800	
	FJ1M017	09400418	DX/RH	145	213	25	16	56	90×10	1815	
MURATORI	FJ2M001	12005102	DX/RH	115	115	-	10.5	27	50×5	390	
	FJ2M002	12000101	DX/RH	110	110	10	12.5	46	60×6	680	
	FJ2M003	12000301	DX/RH	110	110	10	12.5	46	70×7	720	
	FJ2M004	12002801	DX/RH	145	168	10	12.5	46	70×7	760	
	FJ2M005	12000700	DX/RH	112	168	10	12.5	46	70×7	880	
	FJ2M006	12000500	DX/RH	113	190	10	12.5	46	70×7	800	
	FJ2M007	12002200	DX/RH	145	168	10	12.5	46	70×7	920	
	FJ2M008	12012501	DX/RH	136	187	14	14.5	57	80×7	950	
	FJ2M009	12012701	DX/RH	135	185	14	14.5	57	80×7	1000	
	FJ2M010	120058	DX/RH	155	210	10	14.5	57	80×8	1250	

We are the manufacture factory for producing,not original designer.

品牌 Description	编号 Ref.Nr.	原厂号 Original code	左 / 右 Type	"H" mm	"L" mm	"S" mm	孔径 Hole $\varnothing$ mm	中心距 Distance hole mm	规格 Plate mm	重量 Weight gr	Drawing
MURATORI	FJ2M011	12013701	DX/RH	136	190	14	14.5	56	80×6	820	
SICMA / MIGLIANICO	FJ3M001	4811281	DX/RH	110	180	10	12.5	42	60×6	600	
	FJ3M002	4811283	DX/RH	105	157	8	12.5	42	60×6	620	
	FJ3M003	4811785	DX/RH	130	162	-	12.5	35	60×6	570	
	FJ3M004	4811680	DX/RH	115	170	18	12.5	40	60×6	560	
	FJ3M005	4811285	DX/RH	110	157	8	12.5	42	60×6	550	
	FJ3M006	4811400	DX/RH	115	185	10	12.5	42	70×6	700	
	FJ3M007	4811402	DX/RH	115	185	20	12.5	42	70×6	730	
	FJ3M008	4892425	DX/RH	130	180	15	14.5	50	80×7	930	
	FJ3M009	4812426	DX/RH	130	180	15	14.5	50	80×7	980	
	FJ3M010	4812427	DX/RH	135	170	14	14.5	55	80×7	970	
	FJ3M011	4818223	DX/RH	135	190	14	14.5	55	80×7	95	
	FJ3M012	4814519	DX/RH	135	190	10	14.5	56	80×8	1120	
	FJ3M013	4814516	DX/RH	135	188	10	14.5	56	80×8	1160	
	FJ3M014	4814005	DX/RH	135	180	10	14.5	56	90×8	1150	

We are the manufacture factory for producing,not original designer.

立式刀 Vertical rotary blades



WhatsApp: +86-13758194294

Email: biz@cnspeedway.com

产品特点:

- 以四轮拖拉机为主动动力源, 耕作深度大, 起土效果好, 破碎能力强, 工作效率高, 机具稳定性好。作业后土壤颗粒小, 不会漏耕, 沟底平整度较好。
- 使用材料: 60Si2Mn, 28MnSiB, 30MnCrB5, 38MnCrB5
- 制造硬度: HRC46-52, 综合机械性能较好。
- 具备制造全系列, 多规格的能力。

- The four-wheel tractor as the main power source, depth tillage, good soil stirring working, strong capacity of crushing, high efficiency of working and good stability of the machines. Soil particles are small after operation.
- Materials Made With: 60Si2Mn, 28MnSiB, 30MnCrB5, 38MnCrB5.
- Manufacturing hardness: HRC46-52.
- With the ability of manufacturing full range and multiple specifications.

FJ001 Orig LSBV1012D gr 1960 	FJ002 Orig LSMD9012D gr 1660 	FJ003 Orig 1270 gr 1960 	FJ004 Orig 85743 gr 3000
FJ005 Orig 954426 gr 2700 	FJ006 Orig 0088310D gr 1960 	FJ007 Orig 17740/177401 gr 1660 	FJ008 Orig 185506 gr 2500
FJ009 Orig 8831X gr 1900 	FJ010 Orig 2901271 gr 2400 	FJ011 Orig 182938 gr 2350 	FJ012 Orig 525394 gr 2950

We are the manufacture factory for producing,not original designer.

WhatsApp: +86-13758194294
Email: biz@cnspeedway.com

FJ013 Orig 525394 gr 2950 	FJ014 Orig 1270 gr 1950 	FJ015 Orig 080148 gr 3050 	FJ016 Orig 04400310 gr 1380
FJ017 Orig 84045001 gr 2600 	FJ018 Orig 84091201 gr 1950 	FJ019 Orig gr 2900 	FJ020 Orig D03000/1 gr 2700
FJ021 Orig D05650/51 gr 2790 	FJ022 Orig D06700/1 gr 2510 	FJ023 Orig D07400/1 gr 3570 	FJ024 Orig 6808400 gr 2900
FJ025 Orig 622603/4 gr 2700 	FJ026 Orig 622613/14 gr 2100 	FJ027 Orig 2001268/69 gr 2430 	FJ028 Orig 182939/940 gr 2409


We are the manufacture factory for producing,not original designer.

锄头 Hammers and Sticks for Choppers



产品特点:


- 四轮拖拉机为动力源驱动。一次作业同时完成碎草、破土、起垄、混合土壤和残茬，帮助有机物的分解，增加土壤的肥力。
- 材料选择: 45#, 40Cr, 65Mn, 60Si2Mn, 30MnCr85。
- 经过强韧化工艺, HRC38-45, 也可达HRC52。
- The four-wheel tractor as the main power source. Through one time operation, can be finished of grass cutting, and mixed with soil and stubble, to help break down organic matter and increases soil fertility.
- Material Made With: 45#, 40Cr, 65Mn, 60Si2Mn, 30MnCr85.
- Through the process of strengthening and toughening, HRC38-45, also can be HRC52.

品牌 Description	编号 Ref.Nr.	原厂号 Original code	"H" mm	"L" mm	"S" mm	孔径 Diameter mm	重量 Weight gr	Drawing
ACMA	FJA001	Tipo pesante	110	120	40	16.5	1350	
	FJA002	Tipo pesante	110	120	40	16.5	1350	
	FJA003	-	95	85	40	14.5	750	
AGRAM	FJA004	-	110	120	40	18.5	1350	
AGRICOM	FJA005	-	90	120	40	16.5	1150	
	FJA006	Tipo pesante	110	120	40	16.5	1350	
	FJA007	-	95	137	40	16.5	1600	
	FJA008	-	100	150	55	20.5	1650	
	FJA009	-	90	120	40	16.5	1150	
	FJA010	Tipo pesante	90	120	40	20.5	1150	

We are the manufacture factory for producing,not original designer.

品牌 Description	编号 Ref.Nr.	原厂号 Original code	"H" mm	"L" mm	"S" mm	孔径 Diameter mm	重量 Weight gr	Drawing
AGRICOM	FJA011	Tipo pesante	110	120	40	16.5	1350	
	FJA012	-	95	85	40	14.5	750	
BECCHIO- BERFRALK	FJB001	-	90	120	40	16.5	1150	
	FJB002	Tipo pesante	110	120	40	16.5	1350	
BERTI	FJB003	-	95	137	40	16.5	1600	
	FJB004	-	100	137	40	16.5	1150	
BOMFORD- TURNER	FJB005	-	70	75	80	19.5	715	
BREVIGLIERI	FJB006	-	95	137	40	16.5	1600	
CABE / NUOVA CABE / COMAGRI / AGRIEURO	FJC001	Tipo pesante	90	120	40	20.5	1150	
	FJC002	-	110	120	40	20.5	1350	
CALDEINI	FJC003	-	100	150	55	20.5	1650	
CELLI	FJC004	-	100	137	40	16.5	1150	
DRAGONE	FJD001	-	76	78	13	16.5	300	
FAE	FJF001	tipo forestale	80	70	60	30.5	1700	

We are the manufacture factory for producing,not original designer.

品牌 Description	编号 Ref.Nr.	原厂号 Original code	"H" mm	"L" mm	"S" mm	规格 Diameter mm	重量 Weight gr	Drawing
FALC	07383	VKP	96	144	54	25.5	2300	
	07398	Zenit	96	100	54	25.5	1800	
FALCONERO	07386	-	100	150	55	16.5	1650	
FAUSTINI	07387	-	95	137	40	16.5	1600	
FERRI	65225	-	90	120	40	14.5	1150	
	65124	-	90	120	40	16.5	1150	
	07405	-	120	105	42	16.5	1300	
FORIGO-ROTERITALIA	07398	-	110	120	40	20.5	1350	
GL1	07392	-	95	85	40	16.5	750	
HERMES	65350	-	95	137	40	16.5	1600	
KUHN	07384	-	110	155	90	20.5	1800	
	07388	BEN-VKD-TT	110	115	36	16.5	1150	
MASCHIO	-	-	100	150	55	20.5	1650	
	-	TLPO pesante	90	120	40	20.5	1150	

We are the manufacture factory for producing,not original designer.

品牌 Description	编号 Ref.Nr.	原厂号 Original code	"H" mm	"L" mm	"S" mm	规格 Diameter mm	重量 Weight gr	Drawing
MASCHIO	65124	-	110	120	40	20.5	1350	
MEAAT	07394	Tipo pesante	110	120	40	16.5	1350	
	07398	-	95	137	40	16.5	1600	
	07399	Foro 18,5	95	137	40	18.5	1600	
	65078	-	100	137	40	16.5	1150	
NOBILI	65350	BNE-VKD-TT	110	115	36	16.5	1150	
ORSI	07384	-	100	150	55	20.5	1650	
	07394	Tipo pesante	110	120	40	16.5	1350	
	07404	-	95	85	40	14.5	750	
OSMA	07410	Tipo pesante	80	70	60	30.5	1700	
PERUGINI	07394	Tipo pesante	110	120	40	16.5	1350	
	07405	-	95	85	40	16.5	750	
PERUGINI CONCEPT	07394	Tipo pesante	110	120	40	16.5	1350	
PERUZZO	07405	-	95	85	40	16.5	750	

We are the manufacture factory for producing,not original designer.

WhatsApp: +86-13758194294

Email: biz@cnspeedway.com

品牌 Description	序列号 Art. / Ref.	"A" mm	"B" mm	"C" mm	规格 Plate mm	孔径 Diameter mm	重量 Weight gr	Drawing
SUOOORTO MAZZA	01	50	30	16	50×16	16.5	260	
SUOOORTO MAZZA CON ESAGONO	01/E	50	30	16	50×16	16.5	260	
SUOOORTO MAZZA	02	50	25.5	18	50×18	16.5	300	
SUOOORTO MAZZA CON ESAGONO	02/E	50	25.5	18	50×18	16.5	280	
SUOOORTO MAZZA	03	50	30	20	50×20	18.5	310	
SUOOORTO MAZZA CON ESAGONO	03/E	50	30	20	50×20	18.5	300	
SUOOORTO MAZZA	04	50	32	18	50×18	20.5	310	
SUOOORTO MAZZA CON ESAGONO	04/E	50	32	18	50×18	20.5	300	
SUOOORTO MAZZA MEAAT	09	50	18	18	50×18	16.5	350	
SUOOORTO MAZZA CON ESAGONO MEAAT	09/E	50	18	18	50×18	16.5	330	
SUOOORTO MAZZA WILLIBALD	12	95	26	19	95×19	20.5	400	
SUOOORTO MAZZA CON ESAGONO WILLIBALD	12/E	95	26	19	95×19	20.5	380	
SUOOORTO MAZZA ALPEGO	20	50	27.5	18	50×18	18.5	350	
SUOOORTO MAZZA CON ESAGONO ALPEGO	20/E	50	27.5	18	50×18	18.5	330	

We are the manufacture factory for producing,not original designer.

割草刀 GRASS-CUTTING KNIFE SERIES




WhatsApp: +86-13758194294
Email: biz@cnspeedway.com

产品特点:

- 四轮拖拉机作为主动力驱动源。也有汽油机直接驱动。田园割草，灭茬等田间作业。该刀片分为粗割刀和精割刀，均采用优质材料制作有较高的强度韧性、抗耐磨、抗弯曲和抗断裂。
- 材料选择: 60Si2Mn, 28MnCrB, 30MnCrB5。
- 经过强韧化工艺处理。HRC42-48。

- The four-wheel tractor as the main power source. Also, Field mowing and stubble can be driven directly by gasoline engine.
- Material Made With: 60Si2Mn, 28MnCrB, 30MnCrB5.
- Through the process of strengthening and toughening, HRC42-48.



编号 Ref.Nr.	品牌 Description	A mm	B mm	Diam. mm	L mm	I mm	H mm	Forma
CSIC16	SICMA	80	10	24.5	215	40	30	CCW
LALL01DORIBC	ALLOY	100	12.7	32.5	392	43	50	CW
LBHG01	BUSH HOG	100	12.7	38.5	630	64.5	60.45	CCW
LBRA10	BRABER	75	10	38.5	473	37.5	32	CW
LDEU41	A DISEGNO	100	12	42	622	63.5	70	CCW
LDEU42	2728731	100	12	41.5	622	63.5	69	CW
LDLM50	DEL MORINO	70	8	34	390	35	80	CCW
LFSH09	FISCHER	60	10	29	210	33	25	CW
LGRM34	GYROMASS	150	15	41.5	550	50	50	CW/CCW
LGYM01	GYMBRE	90	10	41	350	40	36	CW/CCW
LHOW31	HOWARD	90	8	32.5	470	45	46	CCW
LHOW33	ROTAVATOR	100	10	22.5	420	50	90	CCW
LHOW41M	HOWARD ROTAVATOR	100	12	32.5	560	45	64	CCW
LLRS27	FALCON	100	10	22.5	560	45	72	CCW
LWAC23	IM TYPE	100	12.7	38	600	64	52.7	CCW

We are the manufacture factory for producing,not original designer.

WhatsApp: +86-13758194294
Email: biz@cnspeedway.com

编号 Ref.Nr.	品牌 Description	原厂号 Original code	Disegno / Drawing
FJ001	LAND PRIDE	890-172C	
FJ002	LAND PRIDE	890-223C	
FJ003	B&E	UJD8LH	
FJ004	WOODS	31359	
FJ005	BCS	565580055N	
FJ006	PROGRESSIVE	-	

We are the manufacture factory for producing,not original designer.

编号 Cod. FJ	品牌 Brand	原厂号 Rif.Orig Orig.Ref.	Disegno / Drawing
FJ007	TRIMAX	-	
FJ008	LAND PRIDE	890-854C	
FJ009	BENASSI	6CM14500	
FJ010	JACOBSEN	-	
FJ011	NUNES	438828	
FJ012	TORO	86-0010	







We are the manufacture factory for producing,not original designer.

序号 Cod. FJ	品牌 / Brand	原厂号 Rif.Orig Orig.Ref.	Disegno / Drawing
FJ013	RHINO	761712	
FJ014	RHINO	761711	
FJ015	CARONI	48007710	
FJ016	CARONI	59006210	
FJ017	CARONI	71001010	
FJ018	DEL MORINO	SRM3100	

We are the manufacture factory for producing,not original designer.

Email: biz@cnspeedway.com

旋耕刀

编号 Ref.Nr.	品牌 Description	原厂号 Original code	Disegno / Drawing
FJ019	DEL MORINO	SRM311D	
FJ020	DEL MORINO	SRM202D	
FJ021	PUBERT	UPUB13987	
FJ022	QUEEN GARDEN	-	
FJ023	ROTOMECH	-	
FJ024	ROTOMECH	-	



WhatsApp: +86-13758194294
Email: biz@cnspeedway.com

产品特点:

- 以四轮拖拉机或手扶拖拉机作为主动力源驱动，在田间作旋耕、灭茬、起垄作业的刀具
- 材料选用: 65Mn, 也有特殊采用 60Si2Mn, 30MnCrB5, 38MnCrB5
- 硬度选择在HRC38-45, 整体热处理, 也有局部热处理, 刀柄 40 ± 3 , 刀身 48 ± 3
- With four wheel tractor or a walking tractor as the main power source to drive the rotary tillage, suitable for rotavator stubble ridging work tool.
- Material selection, 65Mn (there are also special using 60Si2Mn, 30MnCrB5, 38MnCrB5)
- the hardness of heat treatment is HRC38-45, the overall heat treatment, also has local heat treatment, handle 40 ± 3 , blade 48 ± 3

FJX001 Orig IS245 gr 500	FJX002 Orig 582 gr 520	FJX003 Orig K75-251 gr 550	FJX004 Orig K75-252 gr 500
FJX005 Orig K75-253 gr 420	FJX006 Orig 加强245 gr 600	FJX007 Orig 581 gr 600	FJX008 Orig 681 gr 600
FJX009 Orig FJ600 gr 1200	FJX010 Orig 双孔245 gr 500	FJX011 Orig 异形刀 gr 600	FJX012 Orig FJ245 gr 500

We are the manufacture factory for producing, not original designer.

WhatsApp: +86-13758194294
Email: biz@cnspeedway.com

FJX013 Orig 双孔IS245 gr 500	FJX014 Orig 工友直勾刀 gr 500	FJX015 Orig FJ245 gr 500	FJX016 Orig 加强IT245 gr 500
FJX017 Orig IS195 gr 350	FJX018 Orig IS225 gr 400	FJX019 Orig IT225 gr 450	FJX020 Orig IT245 gr 500

Type	"A" mm	"B" mm	"E" mm	"F" mm	"D" mm	"R" mm	"H" mm	Disegno / Drawing
IS150	25	10	55	25	10.5	150	40	
IS160	25	10	55	25	10.5	160	40	
IS175	25	10	55	25	10.5	175	40	
IS195	25	10	55	25	10.5	195	40	
IS210	25	10	55	25	10.5	210	40	
IS225	25	10	55	25	10.5	225	40	
IS245	25	10	55	25	10.5	245	40	
IT260	30	10	70	30	12.5	260	50	
IT245	30	10	70	30	12.5	245	50	
IT225	30	10	70	30	12.5	225	50	
IT210	30	10	70	30	12.5	210	50	
K19	25	10	55	25	10.5	255	50	
522	25	10	55	25	10.5	245	50	
581	25	10	55	25	10.5	235	50	
681	25	8	55	25	10.5	240	48	
K75	23	7	55	25	10.5	200	50	

We are the manufacture factory for producing, not original designer.

耙片 Disc Blades




WhatsApp: +86-13758194294
Email: biz@cnspeedway.com

产品特点:

- 四轮式拖拉机为主动源驱动, 优质材料经过强韧化工艺, 防止变形和断裂。具有良好的入土切草性能, 适合各种土壤环境。
- 材料选用: 65Mn, 60Si2Mn, 30MnCrB5, 38MnCrB5等。
- 热处理: HRC45-51。
- The four-wheel tractor as the main power source. High quality materials through the process of strengthening and toughening, avoid deformation and break. It has good performance of soil entry and cutting, suitable for all kinds of soil environment.
- Material: 65Mn, 60Si2Mn, 30MnCrB5, 38MnCrB5, Etc.
- Heat treatment: HRC45-51.



※Item No.:FJ01



※Item No.:FJ02



※Item No.:FJ03



※Item No.:FJ04



※Item No.:FJ05



※Item No.:FJ06



※Item No.:FJ07



※Item No.:FJ08



※Item No.:FJ09



※Item No.:FJ10



※Item No.:FJ11



※Item No.:FJ12



We are the manufacture factory for producing,not original designer.

WhatsApp: +86-13758194294
Email: biz@cnspeedway.com

Inch	thickness mm	Weight gr	Number
10"	2.5	860	100
11"	2	870	100
11"	3	980	100
12"	2	1040	100
12"	2.5	1280	100
12"	3	1590	100
12"	4	1900	100
12"	5	2400	100
13"	2.5	1550	100
14"	3	2030	100
14"	3.5	2360	100
14"	4	2710	100
14"	4.5	3050	100
14"	5	3380	100
15"	4	3480	100
16"	3	2860	100
16"	3.5	3320	100
16"	4	3820	100
16"	4.5	4300	100
16"	5	4740	100
18"	3.5	4140	100
18"	4	4770	100
18"	4.5	5390	100
18"	5	5930	100
18"	6	7050	100
20"	3.5	5390	100
20"	4	6180	100
20"	4.5	6960	100
20"	5	7650	100
20"	6	9080	100
22"	4	7650	100
22"	4.5	8620	100
22"	5	9490	100
22"	6	11280	50
24"	4.5	10320	50
24"	5	11380	50
24"	6	13540	50
24"	7	15800	50
24"	8	18000	50
26"	5	13830	50
26"	6	16630	50
26"	7	19390	50
26"	8	22130	50
28"	6	19530	50
28"	7	22790	50
28"	8	26010	50
30"	6	22150	25
30"	8	29530	25
30"	10	36330	25
32"	8	34220	25
32"	10	42150	25
34"	12	63400	25
36"	12	67610	25



We are the manufacture factory for producing,not original designer.

WhatsApp: +86-13758194294
Email: biz@cnspeedway.com

Inch	thickness mm	Weight gr	Number
16	3	2490	100
16	3.5	2880	100
16	4	3320	100
16	4.5	3720	100
16	5	4110	100
18	3.5	3650	100
18	4	4200	100
18	4.5	4740	100
18	5	5210	100
18	6	6180	100
20	3.5	4860	100
20	4	5570	100
20	4.5	6270	100
20	5	6890	100
20	6	8160	100
22	4	6930	100
22	4.5	7810	100
22	5	8590	100
22	6	10190	50
24	4.5	9440	50
24	5	10380	50
24	6	12350	50
24	7	14480	50
24	8	16640	50
26	5	12480	50
26	6	15000	50
26	7	17490	50
26	8	19940	50
28	6	17780	50
28	7	20730	50
28	8	23650	50
30	6	20400	25
30	8	27160	25
30	10	33400	25
32	8	31680	25
32	10	39000	25
34	12	59800	25
36	12	63550	25



We are the manufacture factory for producing,not original designer.

弯曲式深松铲

Subsoiler blades

WhatsApp: +86-13758194294
Email: biz@cnspeedway.com



产品特点:

- 四轮式拖拉机为主动源驱动，掏空土壤保证不搅动土壤表面，保持植被的完整，耕作深度在土层表面10cm以下，可达到25cm-45cm，推荐工作深度在30cm时，需要动力为35-45马力；工作深度在70cm时，需要动力在55-65马以上，作业速度保持在3.0-5.0公里/小时。
- 优质硼钢制造，高强度处理：常用30MnB5,38MnCrB5。
- 热处理：HRC: 50±3。
- The four-wheel tractor as the main power source, hollowing out the soil to ensure that it does not stir the soil surface and maintain the integrity of vegetation. The tillage depth is 10cm below the soil surface and can reach 25cm-45cm. Suggest, when the working depth is 30cm, the power needs to be 35-45 horsepower; when the working depth is 70cm, the power needs to be over 55-65 horsepower, and the working speed should be maintained at 3.0-5.0 km/h.
- High quality boron steel manufacturing, high strength treatment: commonly used material 30MnB5 and 38MnCrB5.
- Heat treatment: HRC: 50±3.



FJ16010 弯曲式大铲 800

编号 Ref.Nr.	厚度 mm	重量 Grs.	A mm	B mm	C mm	配套螺母
FJ16010-A D CA	15	23.200	300	820	80	15015T
FJ16010-A I CA	15	23.200	300	820	80	15015T
FJ16010-B D CA	15	23.200	300	820	80	15015T
FJ16010-B I CA	15	23.200	300	820	80	15015T

FJ16010-A



FJ16010-B



FJ16008 弯曲式大铲保护板 800

编号 Ref.Nr.	厚度 mm	重量 Grs.	A mm	B mm	C mm	配套螺母
FJ16008-A D CA	8	5.050	295	295	80	15015T
FJ16008-A I CA	8	5.050	295	295	80	15015T
FJ16008-B D CA	8	7.830	295	465	80	15015T
FJ16008-B I CA	8	7.830	295	465	80	15015T

FJ16008-A



FJ16008-B



We are the manufacture factory for producing,not original designer.

FJ16009 弯曲式大铲铲尖 800

编号 Ref.Nr.	厚度 mm	重量 Grs.	A mm	B mm	C mm	配套螺母
FJ16009	40×60	7.200	40	580	80	15015-T
FJ16009-MA	40×50	3.800	60	314	80	15009-KIT
FJ16009-PA	-	1.850	67	147	58	15009-KIT
FJ16009-PC	-	1.850	67	147	58	15009-KIT
FJ16009-KIT	-	65	-	-	-	-

FJ16009



FJ16009 MA



FJ16009 PA-PC



FJ16009-KIT




FJ16015-T 配套螺栓 800

编号 Ref.Nr.	重量 Grs.
FJ16015-T	300

FJ16015-T



Ref.	内容 数量		数量	尺寸	数量	直径
FJ16015-T	2	1199B1440AESP	2	Φ16×16	1	Φ30
			2	Φ10×16		



FJ16010 600 型配套铲柄

编号 Ref.Nr.	厚度 mm	重量 Grs.	A mm	B mm	C mm	配套螺母
FJ16010-600 A D CA	12	8.630	160	600	85	15009-600-KIT
FJ16010-600 A I CA	12	8.630	160	600	85	15009-600-KIT

FJ16010-600



FJ16008 600 型配套保护板

编号 Ref.Nr.	厚度 mm	重量 Grs.	A mm	B mm	C mm	配套螺母
FJ16008-600 A D CA	8	2.900	230	200	85	15009-600-KIT
FJ16008-600 A I CA	8	2.900	230	200	85	15009-600-KIT

FJ16008-600



FJ16009 600 型配套铲尖

编号 Ref.Nr.	厚度 mm	重量 Grs.	A mm	B mm	C mm	配套螺母
FJ16009-600 A	40×50	5.000	40	532	85	15009-600-KIT

FJ16009-600 A



FJ16009 600型配套螺栓

编号 Ref.Nr.	重量 Grs.
FJ16009-600 KIT	250

Ref.	内容 数量		数量	尺寸	数量	直径
FJ16009-600 KIT	2	1199B1440	2	Φ14×50	1	Φ30
			2	Φ8×50		

FJ16015-T



The image displays three 3D CAD models of a mechanical linkage, likely a slider-crank mechanism, arranged vertically against a blue sky with white clouds. The top-left model is a dark grey/black assembly. The top-right model is a dark grey/black assembly with a red joint. The bottom model is a bright blue assembly. Each model shows a vertical link connected to a horizontal link, which is in turn connected to a slider block. The slider block has a T-shaped cross-section, with the vertical part fitting into a guide slot. The models are shown from a perspective view, highlighting the geometry and assembly of the components.

Email: biz@cnspeedway.com

- 四轮拖拉机为主动动力源驱动。一次作业，同时完成破土、粉碎、混合土壤和残茬，帮助有机物质的分解，增加土壤肥力。在硬质土壤和大量秸秆或残茬覆盖的土壤中，效果尤其显著。
- 优质的硼钢制造，常选用：30MnCrB5, 28MnSiB, 38MnCrB5。
- 经过强韧化工艺，防止变形和断裂，HRC48-52。

- The four-wheel tractor as the main power source. Through one time operation, soil can be finished of broken, crushed and mixed with soil and stubble, increase soil fertility. This effect is especially significant in hard soil.
- High quality boron steel manufacturing, often choose: 30MnCrB5, 28MnSiB, 38MnCrB5.
- The process of strengthening and toughening avoid deformation and fracture, HRC48-52.

编号 Ref.Nr.	原厂零件号 Art. / Ref	T mm	Grs.	A mm	B mm	C mm	配套螺母
FJ15055-C2A HRS		12	1750	80	250	57	1285A
FJ15055-C2A-CP HRS DURATOP		15	2130	80	250	57	1285A
FJ15057-C2A CENTRAL		8	1230	80	258	-	M12
FJ15056-A D HRS		10	1700	172.5	-	-	M12
FJ15056-A I HRS		10	1700	172.5	-	-	M12
FJ15056-B D HRS		10	1250	101	-	-	M12
FJ15056-B I HRS		10	1250	101	-	-	M12
FJ15056 C D		10	2450	221	-	60	M12
FJ15056 C I		10	2450	221	-	60	M12
FJ15056 C D AP2		10	2600	221	-	60	M12
FJ15056 C I AP2		10	2600	221	-	60	M12

15056-C: 含2个翼铲和弹尺的工作宽度465mm
DURATOP: 硬质合金铲尖
AP2 DURATOP: 高耐磨的焊接堆焊材料
适用于2823型号的弹尺



编号 Ref.Nr.	原厂号 Original code	T mm	Gr.	A mm	B mm	C mm	配套螺母
FJ15055-A 80 HRS	34060850	12	1.500	80	243	-	1285A
FJ15055-B CP 80 HRS DURATOP	00310915	15	2.000	80	250	-	1285A
FJ15055-B-80 CP-CR HRS DURATOP	00311069	19	3.350	80	260	-	1285A
FJ15055-B120 HRS	34060851	12	2.300	120	-	-	1285A
FJ15056-A D HRS	34060857	10	1.700	172.5	-	-	M12
FJ15056-A I HRS	34060856	10	1.250	172.5	-	-	M12
FJ15056-B D HRS	34060855	10	1.250	101	-	-	M12
FJ15056-B I HRS	34060854	10	1.950	101	-	-	M12
FJ15057-A 80 D HRS	34060859	8	1.950	80	-	57	1285A
FJ15057-A 80 I HRS	34060858	8	1.950	80	-	57	1285A
FJ15057-A 80 CENTRAL	-	8	1.385	80	305	-	M12
FJ15057-B 100 D HRS	34060853	8	2.700	100	-	57	1285A
FJ15057-B 100 I HRS	34060852	8	2.700	100	-	57	1285A
FJ15058-A 80 D HRS	34060863	8	1.200	80	-	57	1285A
FJ15058-A 80 I HRS	34060862	8	1.200	80	-	57	1285A


15056-A: 含2个翼铲和弹尺的工作宽度370mm
15056-B: 含2个翼铲和弹尺的工作宽度240mm
DIN 931六角螺栓和DIN 934螺母, 型号1199H1260A并不是BELLOTA生产的
CP DURATOP: 硬质合金铲尖
适用于2823型号的弹尺




产品描述 Description	编号 / Ref,Nr.	原厂号 / Original code	左 / 右 R / L	厚度 Thickness mm	重量 Weight gr.	Cultivator
POINT	FJ001	3374388	-	10	1700	
POINT	FJ002	3374392	-	12	2100	
POINT HARD FACED	FJ003	3374392	-	12	2230	
POINT	FJ004	3374386	-	15	1900	
TRASHBOARD	FJ005	3374395	-	8	1900	
TRASHBOARD	FJ006	3374398	DX	8	2400	
	FJ007	3374399	SX			
UNIVERSAL FOOT	FJ008	4679105	-	10	2400	
WING	FJ009	3374418	DX	10	2300	
	FJ010	3374419	SX			
WING	FJ011	3374420	DX	10	2500	
	FJ012	3374421	SX			
WING HARD FACED	FJ013	3374424	DX	10	2500	
	FJ014	3374425	SX			
WING	FJ015	3374416	DX	10	2300	
	FJ016	3374417	SX			

WhatsApp: +86-13758194294
Email: biz@cnspeedway.com

编号 Ref.Nr.	L mm	d1 mm	d2 mm	d3 mm	A	B	D	E	Weight gr.	Cultivator
FJ101.6067LL	680	12.5	21	-	140	-	60	70	7700	
FJ101.6072LL	720	17	-	-	-	-	60	70	8300	
FJ101.6072LL-1	720	17	-	-	-	-	60	45	8300	
FJ101.6072LL-2	720	21	-	-	-	-	60	45	8300	
FJ101.6072LL-3	720	17	13	-	130	-	60	45	8300	
FJ101.6072LL-5	720	21	14.5	-	175	-	60	45	8300	
FJ101.6072LL-7	720	21	14	-	80	-	60	45	8300	
FJ101.6072LL-8	720	21	-	-	-	-	60	70	8300	
FJ101.6072LL-9	720	21	13	-	92.5	-	60	45	8300	
FJ101.6072LL-12	720	21	12.5	-	150	-	60	70	8300	
FJ101.6072LL-13	720	17	12.5	-	110	-	60	70	8300	
FJ101.6073LL	740	20.5	12.5	-	150	-	60	45	8500	
FJ101.6075LL	750	20.5	12.5	12.5	125	155	60	45	8700	
FJ101.6075LL-1	750	17	13	-	131	-	60	45	8700	
FJ101.6075LL-4	750	20.5	12.5	-	150	-	60	70	8700	
FJ101.6082LL	820	17	-	-	-	-	60	70	9360	
FJ101.6082LL-1	820	20.5	16.5	16.5	135	170	60	70	9360	
FJ101.6082LL-3	820	21	14.5	-	175	-	60	70	9360	
FJ101.6083LL	835	21	12.5	-	150	-	60	45	9500	




中耕机犁铲犁尖 Plow tip Plow shovel



产品特点:

- 四轮拖拉机动力驱动，铲尖作业时是与地面平行的，切差和抬高作物时，同时使表面土壤不动。薄和长的铲尖可以切开很硬的土壤，并使土块破碎。
- 材料选用：65Mn, 60Si2Mn, 30MnCrB5, 38MnCrB5, 2G65Mn。
- 经过强韧化工艺，防止变形和断裂。HRC38-45。

- The four-wheel tractor as the main power source, point works parallel to the ground, cutting and elevating crops, at the same time keep the surface soil still. Thin and long points can cut through hard soil and break it up.
- Material selection: 65Mn, 60Si2Mn, 30MnCrB5, 38MnCrB5, 2G65Mn.
- strengthening and toughening process, avoid deformation and fracture, HRC38-45.









编号 Ref.Nr.	原厂号 Original code	厚度 mm	重量 Grs.	A mm	B mm	Cmm	Dmm	包装数量	配套螺母	
FJ001	1602-6	6	825	70	288	45		12	M12	
FJ002	1611-2	4	550	200	120	40-45	120	12	M10	
FJ003	1611-4	4	700	300	120	40-45	120	12	M10	
FJ004	1611-6	4	925	400	120	40-45	120	12	M10	
FJ005	1613-A CN	6	1.800	270	210	45	95	12	M12	
FJ006	1613-A CN AP2 DURATOP	6	1.700	270	210	45	100	-	M12	
FJ007	1613-A CN 8 mm	6	2.150	270	210	45	97	6	M12	
FJ008	1613-A CN 8 CG	6	2.150	270	210	45	97	-		
FJ009	15046 CA 4" E6	6	560	105	177		56		M12	

We are the manufacture factory for producing,not original designer.

编号 Ref.Nr.	原厂号 Original code	厚度 mm	重量 Grs.	A mm	B mm	Cmm	Dmm	包装数量	配套螺母	
FJ010	1661-B	5	4.100	460		40-50	210		M11	
FJ011	1673-B12 CA2	5	6.900		435	45-75	128		M14	
FJ012	1673-A12 CA2	5	6.900		435	45-75	128		M14	
FJ013	1674	10.5	3.000	250	355	45-75	195		M12	
FJ014	16043-J16-CA-E6	6	3.000	405		57	130		M12	
FJ015	16043-K18-CA-E6	6	3.200	460		57	130		M12	
FJ016	16043-H12-CA	8	3.400	305		57	130		M12	
FJ017	16043-I14-CA	8	3.700	355		57	130		M12	
FJ018	16043-J16-CA	8	4.000	405		57	130		M12	
FJ019	16043-K18-CA	8	4.250	460		57	130		M12	
FJ020	1600	6	1.200	308	155	45-55	95	12	M12	
FJ021	1600-8	8	1.600	308	155	45-55	95	12	M12	
FJ022	1606	8	2.000	290	162	45-56	105	12	M12	
FJ023	1610	8	3.450	430	285	35/35-40	112	6	M12	







We are the manufacture factory for producing,not original designer.

WhatsApp: +86-13758194294
Email: biz@cnspeedway.com








编号 Ref.Nr.	原厂号 Original code	尺寸 Dimensions	规格 Specifications	孔径 / holes $\varnothing$ mm	重量 weight / gr	
FJ024	550001	A=190	40×5	10,5	270	
FJ025	550016	A=230	45×7	11,5	480	
FJ026	550017	A=175	175×4	10,5	450	
FJ027	550018	A=70 B=140	70×4	10,5	230	
FJ028	550027	A=105	105×4	10,5	230	
FJ029	550028	A=150	150×4	10,5	400	
FJ030	550030	A=177	40×5	10,5	260	

We are the manufacture factory for producing,not original designer.







WhatsApp: +86-13758194294
Email: biz@cnspeedway.com

编号 Ref.Nr.	原厂号 Original code	尺寸 Dimensions	规格 Specifications	孔径 / holes $\varnothing$ mm	重量 weight / gr	
FJ031	550031	A=190	40×6	10,5	310	
FJ032	550032	A=150	25×5	8,5	130	
FJ033	550034	A=210	40×6	10,5	350	
FJ034	550055	A=105	105×6	10,2	330	
FJ035	550055A	A=105	105×6	12,5	330	
FJ036	550057	A=70 B=152	70×6	10,5	250	
FJ037	550060	A=255	50×6	10,5	560	






We are the manufacture factory for producing,not original designer.

编号 Ref.Nr.	原厂号 Original code	尺寸 Dimensions	规格 Specifications	孔径 / holes $\varnothing$ mm	重量 weight / gr	
FJ038	550067	A=255	60×6	10,5	660	
FJ039	550067A	A=255	60×6	12,5	660	
FJ040	55012	A=210	40×8	10,5	540	
FJ041	550122	A=195	40×5	10,5	280	
FJ042	550134	A=195	40×6	10,5	330	
FJ043	550135	A=135	40×5	10,5	200	
FJ044	550136	A=135	40×6	10,5	210	





We are the manufacture factory for producing,not original designer.

编号 Ref.Nr.	原厂号 Original code	尺寸 Dimensions	规格 Specifications	孔径 / holes $\varnothing$ mm	重量 weight / gr	
FJ045	550139	A=150	150×4	10,5	470	
FJ046	550151	A=200	200×4	10,5	430	
FJ047	550152	A=250	250×4	10,5	640	
FJ048	550185	A=210	40×6	10,5	360	
FJ049	550192	A=210	210×6	13	1080	
FJ050	550193	A=240	240×6	13	1200	
FJ051	550195	A=180	180×5	10,5	530	

We are the manufacture factory for producing,not original designer.








编号 Ref.Nr.	原厂号 Original code	尺寸 Dimensions	规格 Specifications	孔径 / holes ϕ mm	重量 weight / gr	
FJ052	550226	A=365	13-13×45	44-76	2150	
FJ053	550240	A=255	13,5	56	2100	
FJ054	550241	A=240	12,5	45	1200	
FJ055	550275	A=180	13,5	45-75	2700	
FJ056	550276	A=310	13,5	45-75	3800	
FJ057	550278	A=180	11,5	45	840	
FJ058	550284	A=180	11	45	840	

We are the manufacture factory for producing,not original designer.

编号 Ref.Nr.	原厂号 Original code	尺寸 Dimensions	规格 Specifications	孔径 / holes ϕ mm	重量 weight / gr	
FJ059	550299	A=305	53×8	11,5	900	
FJ060	550300	A=207	207×5	11,5	820	
FJ061	550301	A=183	183×5	11,5	880	
FJ062	550313	A=150	150×6	10,5	600	
FJ063	550314	A=175	175×6	10,5	675	
FJ064	550315	A=200	200×6	10,5	750	
FJ065	550316	A=250	250×6	10,5	900	







We are the manufacture factory for producing,not original designer.

WhatsApp: +86-13758194294
Email: biz@cnspeedway.com

编号 Ref.Nr.	原厂号 Original code	尺寸 Dimensions	规格 Specifications	孔径 / holes $\varnothing$ mm	重量 weight / gr	
FJ066	800002	A=230	50×8	12,5	790	
FJ067	800003	A=265	65×8	12	1050	
FJ068	800005	A=270	40×16	14	1130	
FJ069	800006	A=270	40×16	14	1130	
FJ070	800007	A=250	50×8	12	750	
FJ071	800009	A=400	55×15	14	2470	
FJ072	800010	A=400	55×15	14	2470	






We are the manufacture factory for producing,not original designer.

WhatsApp: +86-13758194294
Email: biz@cnspeedway.com

编号 Ref.Nr.	原厂号 Original code	尺寸 Dimensions	规格 Specifications	孔径 / holes $\varnothing$ mm	重量 weight / gr	
FJ073	800013	A=485	75×10	45×13	2660	
FJ074	800019	A=360	55×15	14,5	2470	
FJ075	800020	A=265	45×6	10,5	500	
FJ076	800024	A=245	50×6	11,5	560	
FJ077	800025	A=260	65×6	12,5	730	
FJ078	800026	A=250	65×8	13	900	
FJ079	800030	A=295	65×8	12	1150	






We are the manufacture factory for producing,not original designer.

WhatsApp: +86-13758194294
Email: biz@cnspeedway.com








编号 Ref.Nr.	原厂号 Original code	尺寸 Dimensions	规格 Specifications	孔径 / holes $\varnothing$ mm	重量 weight / gr	
FJ080	800031	A=295	110×6	12,5	1160	
FJ081	800033	A=350	40×12	12,5	1500	
FJ082	800035	A=330	65×10	12,5	1710	
FJ083	800036	A=330	75×12	12,5	2390	
FJ084	800037	A=392	75×10	11,5	2270	
FJ085	800038	A=380	80×12	11,5	2850	
FJ086	800041	A=300	110×8	12,5	2070	

We are the manufacture factory for producing,not original designer.








WhatsApp: +86-13758194294
Email: biz@cnspeedway.com

编号 Ref.Nr.	原厂号 Original code	尺寸 Dimensions	规格 Specifications	孔径 / holes $\varnothing$ mm	重量 weight / gr	
FJ087	800042	A=285	60×12	12,5×17,5	1400	
FJ088	800043	A=300	55×15	12,5	1780	
FJ089	800046	A=235	40×16	12	1050	
FJ090	800048	A=292	60×10	13	1220	
FJ091	800049	A=300	40×16	14,5	1130	
FJ092	800050	A=400	55×15	13	2440	
FJ093	800051	A=250	65×8	13	890	

We are the manufacture factory for producing,not original designer.






编号 Ref.Nr.	原厂号 Original code	尺寸 Dimensions	规格 Specifications	孔径 / holes $\varnothing$ mm	重量 weight / gr	
FJ094	800052	A=330	65×8	13	1300	
FJ095	800053	A=365	60×12	13×33	1850	
FJ096	800058	A=440	-	13,5	3400	
FJ097	800059	A=440	-	13,5	3400	
FJ098	800060	A=440	-	13,5	3400	
FJ099	800061	A=440	-	13,5	3400	
FJ100	800064	A=450	-	15	3400	

We are the manufacture factory for producing,not original designer.

编号 Ref.Nr.	原厂号 Original code	尺寸 Dimensions	规格 Specifications	孔径 / holes $\varnothing$ mm	重量 weight / gr	
FJ101	800065	A=450	-	45×15	3400	
FJ102	800068	A=360	55×15	14,5	2225	
FJ103	800070	A=330	70×10	13,5	1950	
FJ104	800071	A=285	55×15	17×12,5	1650	
FJ105	800072	A=400	55×15	34×13	2500	
FJ106	800075	A=340	50×10	13×22	1260	
FJ107	800077	A=260	50×8	12,5	730	








We are the manufacture factory for producing,not original designer.

WhatsApp: +86-13758194294
Email: biz@cnspeedway.com

编号 Ref.Nr.	原厂号 Original code	尺寸 Dimensions	规格 Specifications	孔径 / holes $\varnothing$ mm	重量 weight / gr	
FJ108	800081	A=260	50×6	37,5×13,5	540	
FJ109	800082	A=260	65×8	37,5×13,5	880	
FJ110	800085	A=510	75×10	45×13	2840	
FJ111	800086	A=453	60×15	13,5	3300	
FJ112	800087	A=470	65×15	45×13	3310	
FJ113	800088	A=310	80×8	12,5	1400	
FJ114	800090	A=450	-	14×28	3400	

We are the manufacture factory for producing,not original designer.

WhatsApp: +86-13758194294
Email: biz@cnspeedway.com

编号 Ref.Nr.	原厂号 Original code	尺寸 Dimensions	规格 Specifications	孔径 / holes $\varnothing$ mm	重量 weight / gr	
FJ115	800097	75×12,5	13,5×45	45×15	3300	
FJ116	800100	60×20	17,2	14,5	3650	
FJ117	800101	60×20	17,2	13,5	3700	
FJ118	800103	80×15	13,5	17×12,5	3300	
FJ119	800133	55×15	13	34×13	1950	
FJ120	800134	60×20	13	13×22	3080	
FJ121	800135	55×20	13	12,5	3250	

We are the manufacture factory for producing,not original designer.

S型弹柄 S-type spring handle



WhatsApp: +86-13758194294
Email: biz@cnspeedway.com

产品特点:

- 四轮式拖拉机为主动源驱动，在干旱（松土）土壤作业，特别适用于种床要求较高的作物（例如：甜菜）推荐作业深度在2-8cm，需要动力在18-22马力/m,作业速度保持在6-7公里/小时，间距在40-50cm。
- 材料选择：60Si2Mn, 30MnCrB5, 38MnCrB5, 28MnSiB。
- 在特殊处理时可以最大程度恢复原始形状，HRC: 46-52。

- The four-wheel tractor as the main power source, and it is suitable for dry (loose) soil operation, especially for crops with higher requirements (such as sugar beet). The recommended operating depth is 2-8cm, the power is 18-22 horsepower /m, the operating speed is maintained at 6-7km/h, and the spacing is 40-50cm.
- Material selection: 60Si2Mn, 30MnCrB5, 38MnCrB5, 28MnSiB.
- The original shape can be restored to the maximum extent in special treatment, HRC: 46-52.

描述 Description	编号 Ref.Nr.	重量 Weight Kg
CULTIVATOR TINES	JF1460	17.85
	JF1461	18.90



描述 Description	编号 Ref.Nr.	规格 Section mm	Frame	重量 Weight Kg
CULTIVATOR TINES	JF1462	150x12	80x80	13.22
	JF1463	45x20	-	4.18
	JF1464	16	-	0.30
	JF1465	16x50	-	0.13
	JF1466	65x8	-	0.91
	JF1467	12x50	-	0.065



描述 Description	编号 Ref.Nr.	规格 Section mm	Frame	重量 Weight Kg
CULTIVATOR TINES	JF1468	-	80x80	1.73
	JF1469	40x12	-	0.73
	JF1470	M 16	-	1.03



描述 Description	编号 Ref.Nr.	重量 Weight Kg
CULTIVATOR TINES	JF7436	13.15
	JF7437	14.05



描述 Description	编号 Ref.Nr.	规格 Section mm	Frame	重量 Weight Kg
CULTIVATOR TINES	JF7438	150x12	100x15	10.14
	JF7439	50x13	-	2.88
	JF1465	16x50	-	0.13
	JF7440	65x6x265	-	0.77
	JF1467	12x50	-	0.065



描述 Description	编号 Ref.Nr.	重量 Weight Kg
CULTIVATOR TINES	JF7441	10.76
	JF7442	11.66



描述 Description	编号 Ref.Nr.	规格 Section mm	Frame	重量 Weight Kg
CULTIVATOR TINES	JF7443	65x16	65x65	8.14
	JF7444	50x10	-	2.44
	JF1465A	16x45	-	0.13
	JF7445	65x6x265	-	0.77
	JF1467	12x50	-	0.065



描述 Description	编号 Ref.Nr.	规格 Section mm	Frame	重量 Weight Kg
CULTIVATOR TINES	JF7446	90x10	50x50	0.98
	JF7447	90x10	60x60	1.12
	JF7448	90x10	65x65	1.19
	JF0752	16x100	-	0.21
	JF0753	16x100	-	0.22



描述 Description	编号 Ref.Nr.	重量 Weight Kg
CULTIVATOR TINES	JF7449	14.89
	JF7450	16.20
	JF7451	18.15
	JF7452	19.46



描述 Description	编号 Ref.Nr.	规格 Section mm	Frame	重量 Weight Kg
CULTIVATOR TINES	FJ7453	150×10	80×80	11.54
	FJ7454	50×13	-	3.15
	FJ7456	150×12	80×80	13.7
	FJ7457	50×16	-	4.25
	FJ7455	10	-	0.07
	FJ1465A	16×45	-	0.13
	FJ7458	65×8×295	-	1.17
	FJ1467A	12×60	-	0.07



描述 Description	编号 Ref.Nr.	规格 Section mm	Frame	重量 Weight Kg
CULTIVATOR TINES	FJ7459	-	80×80	0.70
	FJ7460	M14	-	0.35



描述 Description	编号 Ref.Nr.	重量 Weight Kg
CULTIVATOR TINES	FJ7461	15.03
	FJ7462	16.34
	FJ7463	18.35
	FJ7464	19.66



描述 Description	编号 Ref.Nr.	规格 Section mm	Frame	重量 Weight Kg
CULTIVATOR TINES	FJ7465	150×10	80×80	11.68
	FJ7454	50×13	-	3.15
	FJ7466	150×12	80×80	13.90
	FJ7457	50×16	-	4.25
	FJ7455	10	-	0.07
	FJ1465A	16×45	-	0.13
	FJ7458	65×8×295	-	1.17
	FJ1467A	12×50	-	0.07



描述 Description	编号 Ref.Nr.	重量 Weight Kg
CULTIVATOR TINES	FJ7470	21.33
	FJ7471	24.01
	FJ7472	23.60
	FJ7473	26.28
	FJ7474	27.93
	FJ7475	30.60



描述 Description	编号 Ref.Nr.	规格 Section mm	Frame	重量 Weight Kg
CULTIVATOR TINES	FJ7467	200×10	80×80	3.64
	FJ7468	-	80×80	3.67
	FJ7469	14×120	-	0.18





描述 Description	编号 Ref.Nr.	规格 Section mm	Frame	重量 Weight Kg
CULTIVATOR TINES	FJ7476	150x12	100x100	14.92
	FJ7479	150x14	100x100	17.20
	FJ7477	50x22	-	6.13
	FJ7478	12	-	0.15
	FJ1465	16x50	-	0.13
	FJ7480	150x16	100x100	19.80
	FJ7481	50x26	-	7.80
	FJ7482	16	-	0.20
	FJ0747	16x60	-	0.14
	FJ7483	55x15	-	2.53
	FJ1467A	12x60	-	0.07



描述 Description	编号 Ref.Nr.	规格 Section mm	Frame	重量 Weight Kg
CULTIVATOR TINES	FJ7484	-	80x80	1.86
	FJ7485	140x10	-	1.35
	FJ0748	16x130	-	0.25
	FJ7486	-	90x90	2.00
	FJ7487	140x10	-	1.45
	FJ0749	16x140	-	0.27
	FJ7488	-	100x100	2.17
	FJ7489	140x10	-	1.55
	FJ0749A	16x150	-	0.31





描述 Description	编号 Ref.Nr.	重量 Weight Kg
CULTIVATOR TINES	FJ7490	25.61
	FJ7491	28.29
	FJ7492	28.89
	FJ7493	31.55


描述 Description	编号 Ref.Nr.	规格 Section mm	Frame	重量 Weight Kg
CULTIVATOR TINES	FJ7494	150x14	100x100	19.20
	FJ7477	50x22	-	6.13
	FJ7478	12	-	0.15
	FJ1465	16x50	-	0.13
	FJ7495	150x16	100x100	22.00
	FJ7496	50x24	-	6.58
	FJ7497	12	-	0.17
	FJ0747	16x60	-	0.14
	FJ7483	55x15	-	2.53
	FJ1467A	12x60	-	0.07



描述 Description	编号 Ref.Nr.	规格 Section mm	Frame	重量 Weight Kg
CULTIVATOR TINES	FJ7498	200x12	80x80	4.28
	FJ7499	200x12	90x90	4.50
	FJ7500	200x12	100x100	4.72
	FJ7501	200x12	90x90	4.88
	FJ7502	200x12	100x100	5.25
	FJ0748	16x130	-	0.25
	FJ0749	16x140	-	0.27
	FJ0749A	16x150	-	0.31



描述 Description	编号 Ref.Nr.	Type	规格 Section mm	A mm	B mm	C mm	D mm	重量 Weight Kg
CULTIVATOR TINES	FJ1350	Standard	32x10	320	220	530	370	2,60
	FJ1350A	Standard	32x10	320	220	530	370	2,92
	FJ1351	Standard	32x12	325	225	535	370	3,00
	FJ1351A	Standard	32x12	325	225	535	370	3,32
	FJ1414	Alta	32x12	330	225	640	475	3,35
	FJ1349	Alta	45x12	345	260	665	515	4,95
	FJ1349A	Alta	45x12	345	260	665	515	5,61
	FJ1410	Scorrevole	32x10	295	220	550	390	2,6
	FJ1410B	Scorrevole	32x10	295	220	550	390	2,92




描述 Description	编号 Ref.Nr.	Type	规格 Section mm	B mm	C mm	D mm	重量 Weight Kg
CULTIVATOR TINES	FJ1353	Standard per flex 32x10e32x12	32x10	190	250	110	1,43
	FJ1354	Con occhio per flex 32x10e32x12	32x10	190	280	140	1,55
	FJ1352	Con occhio per flex 45x12	45x10	225	305	170	2,58



描述 Description	编号 Ref.Nr.	A mm	Thread	重量 Weight Kg
CULTIVATOR TINES	FJ1358	38	M10	0,03
	FJ1358A	45	M10	0,05
	FJ1358B	60	M10	0,06
	FJ1358E	55	M10	0,06
	FJ1358F	30	M10	0,04




描述 Description	编号 Ref.Nr.	A mm	B mm	Thread
CULTIVATOR TINES	FJ0760A	20	10	M10x30
	FJ0759A	20	10	M10x40
	FJ0757A	20	10	M10x50
	FJ0755A	20	10	M10x60
	FJ0754A	20	10	M10x70
	FJ0763TG	24	12	M12x35
	FJ0764TG	24	12	M12x40
	FJ0766TG	24	12	M12x50
	FJ0768TG	24	12	M12x60
	FJ0770TG	24	12	M12x70
	FJ0771TG	24	12	M12x80




描述 Description.	编号 Ref.Nr.	规格 Section mm	frame
CULTIVATOR TINES	FJ1356C	50×6	50×12
	FJ1416	50×6	50×12
	FJ1356	50×6	50×15
	FJ1357B	50×6	50×15



描述 Description	编号 Ref.Nr.	规格 Section mm	frame
CULTIVATOR TINES	FJ1356A	50×8	50×12
	FJ1356B	50×8	50×12
	FJ1357A	50×8	50×12
	FJ1357	50×8	50×15



品牌 Description	编号 Ref.Nr.	规格 Section mm	frame
CULTIVATOR TINES	FJ1359C	70×8	50×50
	FJ1359	70×8	60×60
	FJ1359A	70×8	60×60



描述 Description	编号 Ref.Nr.	Pos.	规格 Section mm	重量 Weight Kg
CULTIVATOR TINES	FJ1348	1	25×8	1.07
	FJ1348C	2	25×8	1.07
	FJ1348A	2	25×8	1.20
	FJ1348B	3	25×8	0.91



描述 Description	编号 Ref.Nr.	规格 Section mm	Frame	重量 Weight Kg
CULTIVATOR TINES	FJ1355	40×5	40×10	0.16




描述 Description	编号 Ref.Nr.	规格 Section mm	重量 Weight Kg
CULTIVATOR TINES	FJ1412	32×10	1,67
	FJ1412A	32×10	1,88
	FJ1427	40×5	0,18
	FJ1358	10×38	0,03


描述 Description	编号 Ref.Nr.	规格 Section mm	重量 Weight Kg
CULTIVATOR TINES	FJ1412C	32×10	2,15
	FJ1412B	32×10	2,57
	FJ1413	32×12	2,54
	FJ1413A	32×12	2,96
	FJ7404	32×12	2,72
	FJ7405	32×12	3,14
	FJ1360B	40×6	0,37
	FJ1358	10×38	0,03



描述 Description	编号 Ref.Nr.	规格 Section mm	重量 Weight Kg
CULTIVATOR TINES	FJ1353A	32×10	1,33



描述 Description	编号 Ref.Nr.	规格 Section mm	重量 Weight Kg
CULTIVATOR TINES	FJ7406	45×12	3,9
	FJ7407	45×12	4,32
	FJ1360B	40×6	0,37
	FJ1358	10×38	0,03



描述 Description	编号 Ref.Nr.	规格 Section mm	重量 Weight Kg
CULTIVATOR TINES	FJ7408	32x10	2.26
	FJ7409	32x10	2.66
	FJ7410	32x12	2.68
	FJ7411	32x12	3.08
	FJ7412	40x6	0.37
	FJ1358	10x38	0.03



描述 Description	编号 Ref.Nr.	规格 Section mm	重量 Weight Kg
CULTIVATOR TINES	FJ1353A	32x10	1.33

描述 Description	编号 Ref.Nr.	规格 Section mm	A mm	重量 Weight Kg
CULTIVATOR TINES	FJ7413	45x10	165	3.68
	FJ7414	45x10	165	4.08
	FJ7415	45x10	105	3.5
	FJ7416	45x10	105	3.9
	FJ7417	45x10	170	3.7
	FJ7418	45x10	170	4.1
	FJ7412	40x6	-	0.37
	FJ1358	10x38	-	0.03



描述 Description	编号 Ref.Nr.	规格 Section mm	Frame	A mm	B mm	C mm	D mm	重量 Weight Kg	Packaging
CULTIVATOR TINES	FJ7419	45x10	50x50	146	363	138	96	3.18	200
	FJ7420	45x10	50x50	146	363	138	96	3.16	200
	FJ7421	45x10	70x70	153	363	138	22	3.35	200




描述 Description	编号 Ref.Nr.	规格 Section mm	Frame	A mm	B mm	C mm	D mm	重量 Weight Kg
CULTIVATOR TINES 80x10	FJ7422	80x10	70x70	153	363	138	122	6,10

描述 Description	编号 Ref.Nr.	规格 Section mm	Frame	重量 Weight Kg
CULTIVATOR TINES	FJ7428	70x8	50x50	0,615
	FJ7429	70x8	60x60	0,71
	FJ7430	70x8	65x65	0,76
	FJ7431	70x8	70x70	0,81
	FJ7432	110x10	50x50	1,26
	FJ7433	110x10	60x60	1,40
	FJ7434	110x10	65x65	1,49
	FJ7435	110x10	70x70	1,58
	FJ0742	12x80	-	0,11
	FJ0743	12x90	-	0,12
	FJ0744	12x100	-	0,13
	FJ0745	12x110	-	0,14



描述 Description	编号 Ref.Nr.	规格 Section mm	重量 Weight Kg
CULTIVATOR TINES	FJ1369B	32x10	1,69
	FJ1369	32x10	1,90
	FJ1471	32x10	0,855
	FJ1472C	40x5	0,18
	FJ1358	10x38	0,03



描述 Description	编号 Ref.Nr.	规格 Section mm	重量 Weight Kg
CULTIVATOR TINES	FJ1473	32x10	2,08
	FJ1474	32x10	2,415
	FJ1475	32x8	0,285
	FJ0760A	10x30	0,03




描述 Description	编号 Ref.Nr.	规格 Section mm	重量 Weight Kg
CULTIVATOR TINES	FJ1477	40x10	2,71
	FJ1478	40x10	3,01
	FJ1479	40x10	1,69
	FJ1360	40x6	0,30
	FJ1358	10x38	0,03



描述 Description	编号 Ref.Nr.	规格 Section mm	重量 Weight Kg
CULTIVATOR TINES	FJ1480	32x10	1,76
	FJ1481	32x10	2,06
	FJ1482	32x10	1,10
	FJ1360	40x6	0,30
	FJ1358	10x38	0,03




描述 Description	编号 Ref.Nr.	规格 Section mm	重量 Weight Kg
CULTIVATOR TINES	FJ7511	32x12	2,56




描述 Description	编号 Ref.Nr.	重量 Weight Kg	Notes
CULTIVATOR TINES 60x12	FJ1382	7,2	Intreasse fori 30mm


描述 Description	编号 Ref.Nr.	重量 Weight Kg
CULTIVATOR TINES 60x12	FJ1389	3,75




描述 Description	编号 Ref.Nr.	Notes
CULTIVATOR TINES 60x12	FJ1349C	Foro bloccaggio molla mm 15.




描述 Description	编号 Ref.Nr.	Notes
CULTIVATOR TINES 60x12	FJ1349B	Foro bloccaggio molla mm 13.







描述 Description	编号 Ref.Nr.	规格 Section mm	Composizione	重量 Weight Kg
CULTIVATOR TINES	FJ125SVV	45x7	2 1/2	5.0
	FJ125CVV	45x7	2 1/2	5.5
	FJ135SVV	45x7	3 1/2	7.5
	FJ135CVV	45x7	3 1/2	8.5
	FJ145SVV	45x7	4 1/2	9.5
	FJ145CVV	45x7	4 1/2	10.00



描述 Description	编号 Ref.Nr.	规格 Section mm	Composizione	重量 Weight Kg
CULTIVATOR TINES	125M	45x7	2 1/2	4.70
	125F	45x7	2 1/2	4.88




描述 Description	编号 Ref.Nr.	规格 Section mm	Composizione	重量 Weight Kg
CULTIVATOR TINES	FJV15HA	40x7	1	2,35
		40x7	1/2	
	FJV15HB	40x7	1	2,30
		40x5	1/2	





描述 Description	编号 Ref.Nr.	规格 Section mm	Vomere	重量 Weight Kg
CULTIVATOR TINES	FJV15SVV	40x7	1	2,3
		40x5	1/2	
	FJV15CVV		1 1/2	2,8
	FJV4072SVV	40x7	-	3,2
	FJV4072CVV	40x7	2	3,7
			2	3,7
	FJV407SVV	40x5	1/2	
	FJV407CVV		2 1/2	4,2




描述 Description	编号 Ref.Nr.	规格 Section mm	重量 Weight Kg
CHISEL	FJM20SVV	55x20	8,8
	FJM20CVV	55x20	11,00
	FJM25SVV	55x25	10,8
	FJM25CVV	55x25	13,00




描述 Description	编号 Ref.Nr.	规格 Section mm	重量 Weight Kg
CHISEL	FJB20SVV	55x20+55x20	15,65
	FJB20CVV	55x20+55x20	17,9
	FJB20CVV60	55x20+55x20	18,9
	FJB25SVV	55x25+55x25	20,25
	FJB25CVV	55x25+55x25	22,5
	FJB25CVV60	55x25+55x25	23,5
	FJB2520SVV	55x25+55x20	17,7
	FJB2520CVV	55x25+55x20	19,9
	FJB2520CVV60	55x25+55x20	21,0




描述 Description	编号 Ref.Nr.	规格 Section mm	重量 Weight Kg
CHISEL	FJ25SVV	25x25	3,250




描述 Description	编号 Ref.Nr.	规格 Section mm	重量 Weight Kg
CHISEL	FJ30SVV	30x30	5,540




描述 Description	编号 Ref.Nr.	规格 Section mm	重量 Weight Kg
CHISEL	FJ32SVV	32x32	4,950




描述 Description	编号 Ref.Nr.	规格 Section mm	重量 Weight Kg
CHISEL	FJ4520SVV	45x45	5,100





描述 Description	编号 Ref.Nr.	规格 Section mm	重量 Weight Kg
MOLLA CHISEL	FJ3040SVV	40×30	8,500



描述 Description	编号 Ref.Nr.	规格 Section mm	重量 Weight Kg
MOLLA CHISEL	FJ40SVV	40×40	11




描述 Description	编号 Ref.Nr.	规格 Section mm	重量 Weight Kg
CULTIVATOR TINES	FJ12V	50×12	2,60 ca.



描述 Description	编号 Ref.Nr.	规格 Section mm	重量 Weight Kg
CULTIVATOR TINES	FJC12SVV	50×12	4,15
	FJS12CVV	50×12	5,6
	FJS16SVV	50×16	5,40
	FJS16CVV	50×16	6,9
	FJC20SVV	55×20	7,55
	FJC20CVV	55×20	9,70

犁体部件 Spare parts for ploughs



WhatsApp: +86-13758194294
Email: biz@cnspeedway.com

产品特点:

- 适用于配套各种牌号的浅翻犁，深翻犁。产品全部采用优质硼钢制造，经过锻造和热处理工艺加工，保证产品有足够的韧性和硬度。其中硬度可达HRC52，经过无数次的市场检验，富捷的产品拥有强度、韧性、硬度。
- 富捷着眼于细节和质量控制，其产品可与绝大多数型号的犁体配套，也可以按照您的要求加工制造。
- Suitable for supporting various brands of shallow plough, deep plough. All the products are made of high quality boron steel and processed by forging and heat treatment processes to ensure the products have enough toughness and hardness. Hardness can reach HRC52. Through market many time tests, FUJIE'S products have strength, toughness and hardness.
- FUJIE focus on details and quality control, its products can be matched with most models of ploughs, also can be produced according to your requirements.

VOGEL & NOOT

产品描述 Description		编号 Ref.Nr.	原厂号 Original code	左 / 右 R / L	厚度 Thickness mm	重量 Weight gr
犁侧板 LANDSIDE		FJ-PK803401	PK 8.034.01	右/R	12	4,40
		FJ-PK803501	PK 8.035.01	左/L		
犁侧板 保护板 LANDSIDE PROTECTION		FJ-P5801101	P5801 101		12	2,70
犁尖 REVERSIBLE POINT (FORGED)		FJ-PK8.011.01	PK 8.011.01	右/R	14	1,50
		FJ-PK8.011.02	PK 8L.011.02	左/L		
前犁壁 SHIN		FJ-PK800501	PK 800501	右/R	8	2,20
		FJ-PK800601	PK 800601	左/L		
附 犁尖 SKIM POINT		FJ-PA305401	PA 305401	右/R	8	1,00
		FJ-PA305501	PA 305501	左/L		
犁铲16" SHARE 16"		FJ-PK701301	PK7.013.01	右/R	12	5,50
		FJ-PK701401	PK7.014.01	左/L		



DOWDESWELL

产品描述 Description		编号 Ref.Nr.	原厂号 Original code	左 / 右 R / L	厚度 Thickness mm	重量 Weight gr
犁侧板 LANDSIDE		FJ-164700	164700	-	12	4
犁侧板 LANDSIDE REVERSIBLE		FJ-1136700	1136700	-	12	5,80
犁尖 REVERSIBLE POINT (FORGED)		FJ-1176599	1176599	右/R	15	1,60
		FJ-1176598	1176598	左/L		
犁尖 REVERSIBLE POINT (FORGED)		FJ-147298	147298	右/R	12	2,50
		FJ-147299	147299	左/L		
犁铲 SHARE		FJ-147898	147898	右/R	8	1,90
		FJ-147899	147899	左/L		

GREGOIRE BESSON

产品描述 Description		编号 Ref.Nr.	原厂号 Original code	左 / 右 R / L	厚度 Thickness mm	重量 Weight gr
犁侧板 LANDSIDE		FJ-173338	173338	右/R	10	2,5
		FJ-173337	173337	左/L		
犁侧板 LANDSIDE REVERSIBLE		FJ-173388	173388		12	4,8
犁壁 MOULDBOARD		FJ-173428	173428	右/R	8	21,00
		FJ-173427	173427	左/L		

GREGOIRE BESSON

犁壁 MOULDBOARD		FJ-173436	173436	右/R	8	15,50
		FJ-173435	173435	左/L		
犁壁 MOULDBOARD		FJ-173484	173484	右/R	8	15,50
		FJ-173483	173483	左/L		
双头式犁尖 POINT REVERSIBLE		FJ-173332	173332	右/R	15	2,00
		FJ-173331	173331	左/L		
双头式犁尖(焊接式) POINT REVERSIBLE HARD FACED		FJ-173332RIP	173332	右/R	15	2,20
		FJ-173331RIP	173331	左/L		
双头式犁尖 POINT REVERSIBLE		FJ-173384	173384	右/R	16	2,60
		FJ-173383	173383	左/L		
双头式犁尖(焊接式) POINT REVERSIBLE HARD FACED		FJ-173384RIP	173384	右/R	16	2,80
		FJ-173383RIP	173383	左/L		
双头式犁尖 POINT REVERSIBLE		FJ-177328	177328	右/R	15	2,20
		FJ-177327	177327	左/L		
犁铲 SHARE		FJ-172418	172418	右/R	12	4,70
		FJ-172417	172417	左/L		
犁铲 SHARE		FJ-172614	172614	右/R	10	5,20
		FJ-172613	172613	左/L		
前犁壁 SHIN		FJ-173326	173326	右/R	7	1,80
		FJ-173325	173325	左/L		

GREGOIRE BESSON

产品描述 Description		编号 Ref.Nr.	原厂号 Original code	左 / 右 R / L	厚度 Thickness mm	重量 Weight gr
附犁尖 SKIM POINT		FJ-19112	19112	右R	10	1,00
		FJ-19111	19111	左L		
附犁尖 SKIM POINT		FJ-19114	19114	右R	10	1,10
		FJ-19113	19113	左L		

KUHN-HUARD

产品描述 Description		编号 Ref.Nr.	原厂号 Original code	左 / 右 R / L	厚度 Thickness mm	重量 Weight gr
犁侧板 LANDSIDE		FJ-200645	200645	-	10	2,50
犁侧板 LANDSIDE		FJ-278074	278074	右R	10	2,96
		FJ-278075	278075	左L		
犁侧板 LANDSIDE		FJ-278076	278076	右R	10	4,80
		FJ-278077	278077	左L		
犁侧板 LANDSIDE		FJ-279130	279130	右R	10	4,80
		FJ-279131	279131	左L		
犁侧板 LANDSIDE		FJ-279140	279140	-	10	5,30
犁侧板 LANDSIDE		FJ-261108	261108	-	10	7,70
犁侧板 保护板 LANDSIDE PROTECTION		FJ-279138	279138	右R	10	0,80
		FJ-279139	279139	左L		

KUHN-HUARD

产品描述 Description		编号 Ref.Nr.	原厂号 Original code	左 / 右 R / L	厚度 Thickness mm	重量 Weight gr
犁侧板 保护板 LANDSIDE PROTECTION		FJ-761106	761106	右R	10	0,90
		FJ-761107	761107	左L		
犁侧板 保护板 LANDSIDE PROTECTION		FJ-761110	761110	右R	10	0,80
		FJ-761111	761111	左L		
犁壁 MOULDBOARD CORP L6		FJ-616138	616138	右R	8	18,00
		FJ-616139	616139	左L		
双头式犁尖 REVERSIBLE POINT		FJ-622128	622128	右R	12	2,00
		FJ-622129	622129	左L		
双头式犁尖 REVERSIBLE POINT		FJ-622180	622180	右R	12	2,00
		FJ-622181	622181	左L		
双头式犁尖 REVERSIBLE POINT HEAVY DUTY		FJ-622174	622174	右R	15	2,50
		FJ-622175	622175	左L		
双头式犁尖 REVERSIBLE SKIM POINT		FJ-631112	631112	-	10	2,10
犁铲16" SHARE16"		FJ-622136	622136	右R	10	7,00
		FJ-622137	622137	左L		
犁铲16" SHARE16"		FJ-622172	622172	右R	10	6,20
		FJ-622173	622173	左L		
前犁壁 SHIN		FJ-629120	629120	右R	7	2,30
		FJ-622121	622121	左L		

KUHN-HUARD

产品描述 Description		编号 Ref.Nr.	原厂号 Original code	左 / 右 R / L	厚度 Thickness mm	重量 Weight gr
前犁壁 SHIN		FJ-619127	619127	右/R	8	2,50
		FJ-619173	619173	左/L		
前犁壁 SHIN		FJ-619200	619200	右/R	7	1,35
		FJ-619201	619201	左/L		
附犁尖 SKIM POINT		FJ-631100	631100	右/R	10	1,30
		FJ-631101	631101	左/L		
附犁尖 SKIM POINT		FJ-631102	631102	右/R	8	1,30
		FJ-631103	631103	左/L		
附犁尖 SKIM POINT		FJ-631104	631104	右/R	10	2,10
		FJ-631105	631105	左/L		

KVERNELAND

产品描述 Description		编号 Ref.Nr.	原厂号 Original code	左 / 右 R / L	厚度 Thickness mm	重量 Weight gr
犁侧板 LANDSIDE		FJ-073608	073608	-	11	5,27
犁侧板 LANDSIDE		FJ-073609	073609	-	11	7,91
犁侧板 保护板 LANDSIDE PROTECTION		FJ-063600	063600	-	12	1,40
犁侧板 保护板 LANDSIDE PROTECTION		FJ-073614	073614	-	12	1,00

KVERNELAND

产品描述 Description		编号 Ref.Nr.	原厂号 Original code	左 / 右 R / L	厚度 Thickness mm	重量 Weight gr
犁壁 MOULDBOARD		FJ-063283	063283	右/R	8	19,00
		FJ-063293	063293	左/L		
犁壁 MOULDBOARD		FJ-063286	063286	右/R	8	21,00
		FJ-063287	063287	左/L		
犁壁 MOULDBOARD		FJ-063290	063290	右/R	8	19,60
		FJ-063291	063291	左/L		
双头式犁尖 REVERSIBLE POINT		FJ-063090	063090	右/R	12	1,30
		FJ-063090	063090	左/L		
犁铲14" SHARE14"		FJ-073002	073002	右/R	10	4,70
		FJ-073003	073003	左/L		
犁铲16" SHARE16"		FJ-073004	073004	右/R	10	5,10
		FJ-073005	073005	左/L		
犁铲16" SHARE16"		FJ-073004-2	073004-2	右/R	10	4,00
		FJ-073005-2	073005-2	左/L		
犁铲18" SHARE18"		FJ-073006	073006	右/R	10	5,80
		FJ-073007	073007	左/L		
犁铲18" SHARE18"		FJ-073006-2	073006-2	右/R	10	4,80
		FJ-073007-2	073007-2	左/L		
犁尖 SHARE POINT		FJ-073004/6-1	073004/6-1	右/R	11	1,90
		FJ-073005/7-1	073005/7-1	左/L		

KVERNELAND

产品描述 Description		编号 Ref.Nr.	原厂号 Original code	左 / 右 R / L	厚度 Thickness mm	重量 Weight gr
前犁壁 SHIN		FJ-063240	063240	右/R	8	1,00
		FJ-063250	063250	左/L		
前犁壁 SHIN		FJ-073230	073230	右/R	8	1,75
		FJ-073231	073231	左/L		
前犁壁 SHIN		FJ-073250	073250	右/R	8	1,5
		FJ-073251	073251	左/L		
前犁壁 SHIN		FJ-073256	073256	右/R	8	1,70
		FJ-073257	073257	左/L		
附犁尖 SKIM POINT		FJ-066873	066873	右/R	8	1,00
		FJ-066873	066873	左/L		
附犁尖 SKIM POINT REVERSIBLE		FJ-066868	066868	右/R	8	1,6
		FJ-066869	066869	左/L		

LEMKEN

产品描述 Description		编号 Ref.Nr.	原厂号 Original code	左 / 右 R / L	厚度 Thickness mm	重量 Weight gr
犁侧板 LANDSIDE		FJ-3411460	3411460	-	12	6,90
犁侧板 LANDSIDE		FJ-3411504	3411504	-	12	4,64
犁侧板 LANDSIDE		FJ-3411508	3411508	-	12	5,90


LEMKEN

产品描述 Description		编号 Ref.Nr.	原厂号 Original code	左 / 右 R / L	厚度 Thickness mm	重量 Weight gr
犁侧板 保护板 LANDSIDE PROTECTION		FJ-3401900	3401900	右/R	10	1,10
		FJ-3401901	3401901	左/L		
翻板 MOULBOARD STRIPE TYPE BS42		FJ-3444042	3444042	右/R	10	7,38
		FJ-3444043	3444043	左/L		
翻板 MOULBOARD STRIPE TYPE BS42-40		FJ-3444020	3444020	右/R	11	3,40
		FJ-3444021	3444021	左/L		
翻板 MOULBOARD STRIPE TYPE BS42-40		FJ-3444030	3444030	右/R	11	4,41
		FJ-3444031	3444031	左/L		
翻板 MOULBOARD STRIPE TYPE BS42-40-20		FJ-3444010	3444010	右/R	10	2,97
		FJ-3444011	3444011	左/L		
翻板 MOULBOARD TOP STRIPE TYPE BS42-40-20		FJ-3444012	3444012	右/R	10	4,83
		FJ-3444013	3444013	左/L		
犁壁 MOULBOARD TYPE B35		FJ-3441034	3441034	右/R	8	15,80
		FJ-3441035	3441035	左/L		
犁壁 MOULBOARD TYPE B40		FJ-3441040	3441040	右/R	8	18,14
		FJ-3441041	3441041	左/L		
犁尖 POINT		FJ-3364050	3364050	右/R	12	2,00
		FJ-3364051	3364051	左/L		
犁尖 POINT		FJ-3364150	3364150	右/R	15	2,60
		FJ-3364151	3364151	左/L		


LEMKEN

产品描述 Description		编号 Ref.Nr.	原厂号 Original code	左 / 右 R / L	厚度 Thickness mm	重量 Weight gr
犁尖 (焊接式) POINT HARD FACED		FJ-3364150RIP	3364150	右/R	15	2,80
		FJ-3364151RIP	3364151	左/L		
双头式犁尖 REVERSIBLE POINT		FJ-3365534	3365534	右/R	12	1,30
		FJ-3365535	3365535	左/L		
双头式犁尖 REVERSIBLE POINT		FJ-3365540	3365540	右/R	12	2,30
		FJ-3365541	3365541	左/L		
犁铲14" SHARE14"		FJ-3351956	3351956	右/R	10	2,70
		FJ-3351957	3351957	左/L		
犁铲14" SHARE14"		FJ-3352010	3352010	右/R	10	3,20
		FJ-3352011	3352011	左/L		
犁铲16" SHARE16"		FJ-3352020	3352020	右/R	10	4,30
		FJ-3352021	3352021	左/L		
犁铲18" SHARE18"		FJ-3352030	3352030	右/R	10	4,60
		FJ-3352031	3352031	左/L		
犁铲18" SHARE18"		FJ-3352130	3352130	右/R	12	5,60
		FJ-3352131	3352131	左/L		
犁铲18" (焊接式) SHARE18"HARD FACED		FJ-3352230RIP	3352230	右/R	10	4,80
		FJ-3352231RIP	3352231	左/L		
犁铲20" SHARE20"		FJ-3352034	3352034	右/R	10	5,20
		FJ-3352035	3352035	左/L		

LEMKEN

产品描述 Description		编号 Ref.Nr.	原厂号 Original code	左 / 右 R / L	厚度 Thickness mm	重量 Weight gr
犁铲16" SHARE16"		FJ-3352134	3352134	右/R	12	6,30
		FJ-3352135	3352135	左/L		
犁铲20" (焊接式) SHARE20"HARD FACED		FJ-3352234RIP	3352234RIP	右/R	10	5,40
		FJ-3352235RIP	3352235RIP	左/L		
前犁壁 SHIN		FJ-3451000	3451000	右/R	7	2,38
		FJ-3451001	3451001	左/L		
前犁壁 SHIN		FJ-3451004	3451004	右/R	7	2,20
		FJ-3451005	3451005	左/L		
附犁板 SKIM BOARD		FJ-3470650	3470650	右/R	5	1,55
		FJ-3470651	3470651	左/L		
附犁铲 SKIM SHARE		FJ-3363710	3363710	右/R	8	1,40
		FJ-3363711	3363711	左/L		
附犁铲 SKIM SHARE		FJ-3363712	3363712	右/R	8	0,90
		FJ-3363713	3363713	左/L		
附犁铲 SKIM SHARE		FJ-3363714	3363714	右/R	8	1,00
		FJ-3363715	3363715	左/L		
附犁铲 SKIM SHARE		FJ-3363720	3363720	右/R	8	1,10
		FJ-3363721	3363721	左/L		
附犁铲 SKIM SHARE		FJ-3363724	3363724		8	2,00

LEMKEN

产品描述 Description		编号 Ref.Nr.	原厂号 Original code	左 / 右 R / L	厚度 Thickness mm	重量 Weight gr
犁壁 TRASHBOARD		FJ-3470860	3470860	右/R	8	3,30
		FJ-3470861	3470861	左/L		
犁壁 TRASHBOARD M3		FJ-3470620	3470620	右/R	5	2,35
		FJ-3470621	3470621	左/L		
垂直切土片 COULTER		FJ-3492890	3492890	右/R	8	1,355
		FJ-3492891	3492891	左/L		
犁柱弯壁 LEG						13,80
犁托/犁柱支撑托 SHIN B2KH		FJ-4671010	4671010	右/R	-	0,00
		FJ-4671011	4671011	左/L		
附 犁托 FROG 50 x 30		FJ-4570840	4570840	右/R	10	3,40
		FJ-4670841	4670841	左/L		
支撑固定条 SUPPORT BS40		FJ-4695600	4695600	右/R	-	4,00
		FJ-4695601	4695601	左/L		
附 犁支臂 SKIM STALK 50 x 30				-	-	12,90
短支撑杆 STAY M20 x 650-750		FJ-5670300	5670300	-	-	1,73
长支撑杆 STAY M20 x 340-440		FJ-5670301	5670301	-	-	1,05

LEMKEN

产品描述 Description		编号 Ref.Nr.	原厂号 Original code	左 / 右 R / L	厚度 Thickness mm	重量 Weight gr
固定螺栓 BOLT WITH LASHING M16 x 40		FJ-3010852	3010852	-	-	0,80
固定板 LASHING 30 x 8 x 75		FJ-4693400	4693400	-	8	0,10

OVERRUM

产品描述 Description		编号 Ref.Nr.	原厂号 Original code	左 / 右 R / L	厚度 Thickness mm	重量 Weight gr
犁尖 REVERSIBLE POINT		FJ-94608	94608	右/R	10	1,80
		FJ-94609	94609	左/L		

RABEW ERK

产品描述 Description		编号 Ref.Nr.	原厂号 Original code	左 / 右 R / L	厚度 Thickness mm	重量 Weight gr
犁尖 LANDSIDE FRONT REVERSIBLE		FJ-VP202	VP202- 2708.07.02	-	12	2,60
犁尖 LANDSIDE FRONT REVERSIBLE		FJ-VP292-0	VP292-0- 2701.15.00	右/R 左/L	12	3,50
侧犁板 LANDSIDE PROTECTION		FJ-XP4	XP4- 2708.15.00	-	8	0,90
侧犁板 LANDSIDE PROTECTION		FJ-XP6	XP6-2708.14.00	-	7	3,20
后侧犁板 LANDSIDE REAR REVERSIBLE		FJ-WP203	WP 203- 2708.07.01	-+	12	3,90

WhatsApp: +86-13758194294
Email: biz@cnspeedway.com


甘蔗切割刀片 Sugarcane cutting blade

LEMKEN						
产品描述 Description		编号 Ref.Nr.	原厂号 Original code	左 / 右 R / L	厚度 Thickness mm	重量 Weight gr
后侧犁板 LANDSIDE REAR REVERSIBLE		FJ-WP292			12	5,60
侧犁板 LANDSIDE REVERSIBLE		FJ-VP351W			12	3,60
犁尖 REVERSIBLE POINT		FJ-WP351W			12	4,70
犁尖 REVERSIBLE POINT		FJ-MP293	MP 293	右/R	12	1,20
		FJ-MP293L	MP 293L	左/L		
犁尖 REVERSIBLE POINT		FJ-MP332	MP 332	右/R	12	1,10
		FJ-MP332L	MP 332L	左/L		
附 犁托 FROG 50 x 30		FJ-MP350	MP 350	右/R	12	1,10
		FJ-MP350L	MP 350L	左/L		
附 犁尖 SKIM POINT		FJ-SDG14/16	SDG14/16	右/R	8	1,00
		FJ-SDG14/16L	SDG14/16L	左/L		
附 犁尖 SKIM POINT		FJ-SDG181	SDG 181L	右/R	8	1,00
		FJ-SDG181L	SDG 181L	左/L		
犁铲 SHARE		FJ-SSP350WSE	SSP 350 WSE	右/R	13	6,10
		FJ-SSP350SEL	SSP 350 WSEL	左/L		




产品特点:

- 适用于收获机械（如：甘蔗，玉米，等）所有型号都能保证连续切削性能的提高和使用寿命的延长。
 - 材料的适用：60Si2MnA,30MnCrB5,38MnCrB5。
 - HRC38-45或HRC48-52。
- Suitable for harvesting machinery (such as sugarcane, corn, etc.). All models can ensure continuous improvement of cutting performance and extension of using life.
- Material: 60Si2MnA, 30MnCrB5, 38MnCrB5.
- HRC38-45 or HRC48-52.



FJ15600 CC 270 mm

序列号	厚度 mm	安装孔数	刀刃数量	重量 Grs	A mm	B mm	C mm	包装数量
FJ15600-5-CC-42	5	4	2	730	270	90	52	30
FJ15600-5-CC-44	5	4	4	730	270	90	52	30
FJ15600-5-CC-62	5	6	2	680	270	90	52	30
FJ15600-5-CC-64	5	6	4	680	270	90	52	30




FJ15601

序列号	原厂零件号	品牌	厚度 mm	A mm	B mm	C mm	D mm	包装数量	重量 Grs
FJ15601-CS	87214899	Case	8	847	65	120	28	4	2.560
FJ15601-JD	243005174	John Deere	8	847	95	120	41/48	4	4.650




FJ15602

序列号	原厂零件号	品牌	A mm	B mm	包装数量	重量 Grs
15601-CS	87214899	Case	487	362	4	2.560
15601-JD	243005174	John Deere	690	345	4	4.650



FJ15603

序列号	原厂零件号	品牌	A mm	B mm	包装数量	重量 Grs
15603-CS6	87231810	Case	346	230	3	2.960
15603-JD6	1190286278	John Deere	341	215	3	2.720



碎木刀 Wood pulverizer's blades

产品特点:

- 以采油机或汽油机为动力源,适用于木料粉碎作业
- 材料选用: 9SiCr4V2或W6Mo5Cr4V2
- 硬度选用HRC60±3
- Diesel or Gasoline engine as the main power source,applicable to wood crushing operation
- 9SiCr4V2 or W6Mo5Cr4V2,material selection
- Heat treatment hardness HRC60±3



※ Item No.:FJSM01



※ Item No.:FJSM02



※ Item No.:FJSM03



※ Item No.:FJSM04



※ Item No.:FJSM05



※ Item No.:FJSM06



※ Item No.:FJSM07



※ Item No.:FJSM08



※ Item No.:FJSM09



※ Item No.:FJSM10



※ Item No.:FJSM11



※ Item No.:FJSM12



※ Item No.:FJSM13



※ Item No.:FJSM14





※ Item No.:FJSM15



※ Item No.:FJSM16

We are the manufacture factory for producing,not original designer.

刮平刀 Scraping cutterr blades



类型 Type	A mm	S mm	T mm	C mm	F mm
1200	150	25	12	18	18
1500	150	25	12	18	18
1800	150	25	12	18	18
2130	150	25	12	18	18
2150	150	25	12	18	18
2400	150	25	12	18	18

宝马刀 Soil stabilizer blades

产品特点:

- 四轮拖拉机为动力源,是用于公路铁路、施工作业用刀具
- 材料选用: 60Si2Mn, 65Mn
- Four wheel tractor as the main power source,suitable for highway and railway,construction tool
- Material selection: 60Si2Mn, 65Mn



※ Item No.:FJBM01



※ Item No.:FJBM02



※ Item No.:FJBM03



※ Item No.:FJBM04

We are the manufacture factory for producing,not original designer.

打浆刀 Mud blades

产品特点:

- 四轮拖拉机为主动动力源，适用于水田作业用刀具
- 材料选用：60Si2Mn, 65Mn
- Four wheel tractor as the main power source, suitable for paddy field working tool
- Material selection: 60Si2Mn, 65Mn



※ Item No.:FJD01



※ Item No.:FJD02




※ Item No.:FJD03



※ Item No.:FJD04

挖树机刀片 blades

- 规格有：800、1000、1100、1200、1400



刨涂豆刀 blades



※ Item No.:FJBD01



※ Item No.:FJBD02




※ Item No.:FJBD03



※ Item No.:FJBD04

We are the manufacture factory for producing,not original designer.

甩刀挂件 Flail blades rings & Hangers



JFSG11

A	B	C	D
1/4"	4-1/2"	4-3/4"	1/2"SQ WT 1.35

JFSG12

A	B	C	D
3/16"	6-1/4"	4-1/8"	3/8"SQ WT 1.45

JF430083
GE430083

A	B	C	D
3/8"	2-1/4"	7"	1" WT 1.37

RINGS

A: Opening
B: Thickness
C: Hang

JF706
GE706

A	B	C
1-1/2"	500page	1-3/8" WT 0.30

D-Ring

JF707
GE707

A	B	C
1-1/2"	434page	1-3/16" WT 0.30

D-Ring

JF505-3-0008
GE505-3-0008

A	B	C	D
1"	1-7/16"	1-1/4"	1-8" WT 0.20

JF2002-V-RING
GE2002-2-RING

A	B	C	D
1"	1-7/8"	1-1/4"	1-8" WT 0.25

V-Ring

HANGERS SLIP TYPE

A: Opening
B: Thickness
C: Hang
D: Slip

JF711
GE711

A	B	C	D
1"	1-7/16"	1-1/4"	1-8" WT 0.20

Hangers Slip Type

JF712
GE712

A	B	C	D
1"	1-7/8"	1-1/4"	1-8" WT 0.25

Hangers Slip Type

We are the manufacture factory for producing,not original designer.

弹簧 Springs



专利产品 Patent products


产品特点:

该产品为《实用新型专利》专利号: 201120456275.8
产品经田间试验及功耗测试, 较常规的IT, IS系列型刀片, 降低功耗50%, 耐磨性能提高50%, 采用60Si2Mn材料加工, HRC50±3适用于旱、水田作业。

The product is "utility model patents" patent number: 201120456275.8
Products through the field and power consumption test, compared with the conventional IT, IS series type blade, reduce the power consumption of 50%, the abrasion resistance is improved by 50%, 60Si2Mn material, HRC50±3 applicable to drought, paddy field work.



种肥同播器 Others



甩刀挂件 Flail blades rings & Hangers

主要化学成份、相似牌号及其热轧交货硬度
Chemical composition, hardness of hot rolled stage and Similar brand

牌号 Brand	相似牌号 Similar brand			化学成分% Chemical composition								热轧交货 硬度 HBSW hardness of hot rolled stage
	美国 ASTM A689	日本 JIS G4801	德国 DIN 17221	C	Si	Mn	Cr	Vr	B	p	S	
										≤		
65Mn	1566			0.62-0.70	0.17-0.37	0.90-1.20	≤0.25			0.035	0.035	302
60Si2Mn	9260		60Si7	0.56-0.64	1.50-2.00	0.70-1.00	≤0.35			0.035	0.035	321
60Si2MnA		SUP7		0.56-0.64	1.60-2.00	0.70-1.00	≤0.35			0.025	0.025	321
55CrMnA	5155	SUP9	55Cr3	0.50-0.60	0.17-0.37	0.65-0.95	0.65-0.95			0.025	0.025	321
60CrMnA	5160	SUP9A		0.56-0.64	0.17-0.37	0.70-1.00	0.70-1.00			0.025	0.025	321
50CrVA	6150	SUP10	50CrV4	0.46-0.54	0.17-0.37	0.50-0.80	0.80-1.10	0.10-0.20		0.025	0.025	321
60CrMnBA	51B60H	SUP11A		0.56-0.64	0.17-0.37	0.70-1.00	0.70-1.00		0.0005-0.004	0.025	0.025	321
55SiMnVB				0.52-0.60	1.50-2.00	0.60-0.90	≤0.35	0.08-0.16	0.0005-0.0035	0.035	0.035	321
60Si2CrA	9254	SUP12		0.56-0.64	1.40-1.80	0.40-0.70	0.70-1.00			0.025	0.025	
60Si2CrVA				0.56-0.64	1.40-1.80	0.40-0.70	0.90-1.20	0.10-0.20		0.025	0.025	
9SiCr			90CrSi5	0.85-0.95	1.20-1.60	0.30-0.60	0.95-1.25					
28MnSiB				0.24-0.32	0.60-1.00	1.20-1.60	≤0.25		0.0005-0.0035	0.035	0.035	300
W6Mo5Cr4V2	M2	SKH51	S6-5-2	0.80-0.90	0.20-0.45	0.15-0.40	3.8-4.40	1.75-2.20	W 5.5 Mo 6.75	0.030	0.030	262
									4.50 5.50			

品牌单位 Spare parts for

阿玛松:
贝洛塔:
凯斯
豪斯
霍华德
约翰迪尔
肯斯柯里德

AMAZONE
BELLOTA
CASE
HORSCH
HOWARD
JOHN DEERE
KONGSKILDE

库恩
格兰
雷肯
拿地
尼科司
向日葵:

KUHN
KVERNELAND
LEMKEN
NARDI(纳迪)
NICHOLS
SUNFLOWER